

# Cable Tray Catalogue



📞 +966 59 009 7984

📍 Riyadh, Saudi Arabia

✉ Info@utg-saudi.com

🌐 www.utg-saudi.com

HEADQUARTERS: USA  
info@utg-saudi.com



## Introduction

UTG was established as professional manufacturer of cable management system, and GI back box, based on Riyadh-KSA to introduce more than 10 years experience in this field as manufacturer, supplier and contractor in the middle east.

We have fully equipped factory with full automatic production lines, design and quality control departments to maintain a unique quality products throughout manufacturing. The research and development in this field is to get system comply to the requirements of construction sites in the GCC and middle east.

## Commitment to Quality

### Raw Materials

We are keen to choose the best types of raw materials, as we adopt the best suppliers of raw materials in the world to ensure access to products with outstanding quality and high efficiency in order to guarantee meeting the most accurate global specifications.

## Our Promise

Our fully integrated facility, Our commitment to quality, and Our customer service enable us to give a solid, full guarantee that our products will meet fully the clients satisfaction.

UTG is set to revolutionise the sector with the exciting launch of brand new ranges:

## Cable Trays

Light, Medium and Heavy Duty Cable Tray in hot dip galvanised and stainless steel grade 316, epoxy and aluminium with all accessories to complete any installation.

## Cable Ladders


In depths of 50mm, 75mm, 100mm, 125mm and 150mm in hot dip galvanised, epoxy and stainless steel grade 316 with all accessories to complete any installation.

## Cable Trunking

All standard size of distribution trunking & lighting trunking, available in single & multiple compartment options. Available in GI, HDG and epoxy coating.

## Switch Boxes

In depth of 25mm, 35mm, 47mm and 50mm All GI Switch boxes are manually inspected by our quality personnel for any defects or other quality issue.



## Metal Framing System


Complete new range of channels and channel mounting accessories in hot dip galvanised, epoxy, Almuniun and stainless steel grade 316 with all accessories to form a complete support system.

## Wiremesh Cable Tray Basket

Light, Medium and Heavy Duty Cable Tray Basket in Hot dip Galvanised and stainless steel grade 316, epoxy and Aluminium with all accessories to complete any installation.

## Cable Tray System

UTG cable trays are designed as a complete system with simple accessories. Integral connectors are included for bends tees etc. for all cable tray ranges. When installing UTG cable trays care should be taken to ensure accessories (e.g. bends, tees, crossovers etc.) have adequate support with additional supports for larger components. Light duty



### Technical Construction Details:

Medium and heavy duty cable tray systems have cable-friendly return flanges that are also slotted for all widths as standard.

The unique perforation pattern in the base of the cable trays allows ease of attachment for cables with more than adequate ventilation.

All UTG cable tray ranges have the same plan foot print that facilitates the set out of cable runs prior to finalisation of design.

# Cable Trays




## Materials




- Cold rolled steel comply to BS1449.
- Stainless steel grade 304 and 316.
- Aluminium sheet

## Finishing:

- Hot Dip Galvanised 1461 (BS729) 25-150
- Pre Galvanised
- Aluminium
- Epoxy coated



## Test Materials



## Identification and Selection


CABLE TRAY STRENGTH	DEPTH	WIDTH	THICKNESS	FINISH	LENGTH
CTSL	25MM	50MM	1.5MM	GI: PRE-GALVANIZED	2.44M
	50MM	75MM	2MM	HDG: hot dip galvanized	3M
	75MM	85MM		AL: Aluminium	
	100MM	100MM		PC: powder coating	
	125MM			SS:Stainless Steel	
	150MM			EC:Epoxy coating	
	200MM				
	225MM				
	300MM				
	400MM				
	450MM				
	500MM				
	600MM				
	700MM				
	750MM				
	800MM				
	900MM				
	1000MM				

**Note: All Dimensions and finishing available upon request.**


## StraightTrays



Width x Height	Part Code No.	Thickness	Item Description
50X50	AL-CTSL-P/S-50-50-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 50(W) x 50(H) x 1.5(T) mm, 3m Length
75X50	AL-CTSL-P/S-50-75-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 75(W) x 50(H) x 1.5(T) mm, 3m Length
100X50	AL-CTSL-P/S-50-100-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 100(W) x 50(H) x 1.5(T) mm, 3m Length
150X50	AL-CTSL-P/S-50-150-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 150(W) x 50(H) x 1.5(T) mm, 3m Length
200X50	AL-CTSL-P/S-50-200-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 200(W) x 50(H) x 1.5(T) mm, 3m Length
300X50	AL-CTSL-P/S-50-300-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 300(W) x 50(H) x 1.5(T) mm, 3m Length
400X50	AL-CTSL-P/S-50-400-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 400(W) x 50(H) x 2(T) mm, 3m Length
450X50	AL-CTSL-P/S-50-450-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 450(W) x 50(H) x 2(T) mm, 3m Length
500X50	AL-CTSL-P/S-50-500-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 500(W) x 50(H) x 2(T) mm, 3m Length
600X50	AL-CTSL-P/S-50-600-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 600(W) x 50(H) x 2(T) mm, 3m Length
750X50	AL-CTSL-P/S-50-750-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 750(W) x 50(H) x 2(T) mm, 3m Length
900X50	AL-CTSL-P/S-50-900-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 900(W) x 50(H) x 2(T) mm, 3m Length




Width x Height	Part Code No.	Thickness	Item Description
100X100	AL-CTSL-P/S-100-100-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 100(W) x 100(H) x 1.5(T)mm, 3m Length
150X100	AL-CTSL-P/S-100-150-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 150(W) x 100(H) x 1.5(T)mm, 3m Length
200X100	AL-CTSL-P/S-100-200-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 200(W) x 100(H) x 1.5(T)mm, 3m Length
300X100	AL-CTSL-P/S-100-300-1.5-HDG/PG/SS-3M	1.5	Straight Length Cable Tray 300(W) x 100(H) x 1.5(T)mm, 3m Length
400X100	AL-CTSL-P/S-100-400-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 400(W) x 100(H) x 2(T)mm, 3m Length
450X100	AL-CTSL-P/S-100-450-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 450(W) x 100(H) x 2(T)mm, 3m Length
500X100	AL-CTSL-P/S-100-500-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 500(W) x 100(H) x 2(T)mm, 3m Length
600X100	AL-CTSL-P/S-100-600-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 600(W) x 100(H) x 2(T)mm, 3m Length
750X100	AL-CTSL-P/S-100-750-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 750(W) x 100(H) x 2(T)mm, 3m Length
900X100	AL-CTSL-P/S-100-900-2-HDG/PG/SS-3M	2	Straight Length Cable Tray 900(W) x 100(H) x 2(T)mm, 3m Length



**Note: All Dimensions and finishing available upon request.**

## Solid Straight Trays



Width x Height	Part Code No.	Thickness	Item Description
100x75	AL-CTSL-75-100-1.5-HDG-S	1.5	HDG Solid Cable Tray 100(W) x 75(H) x 1.5(T) mm
100x50	AL-CTSL-50-100-1.5-HDG-S	1.5	HDG Solid Cable Tray 100(W) x 50(H) x 1.5(T) mm
200x50	AL-CTSL-50-200-1.5-HDG-S	1.5	HDG Solid Cable Tray 200(W) x 50(H) x 1.5(T) mm
200x100	AL-CTSL-100-200-1.5-HDG-S	1.5	HDG Solid Cable Tray 200(W) x 100(H) x 1.5(T) mm
300x50	AL-CTSL-50-300-2-HDG-S	2	HDG Solid Cable Tray 300(W) x 50(H) x 2(T) mm
300x100	AL-CTSL-100-300-2-HDG-S	2	HDG Solid Cable Tray 300(W) x 100(H) x 2(T) mm
400x50	AL-CTSL-50-400-2-HDG-S	2	HDG Solid Cable Tray 400(W) x 50(H) x 2(T) mm
400x100	AL-CTSL-50-500-2-HDG-S	2	HDG Solid Cable Tray 500(W) x 50(H) x 2(T) mm
500x100	AL-CTSL-100-500-2-HDG-S	2	HDG Solid Cable Tray 500(W) x 100(H) x 2(T) mm
600x50	AL-CTSL-50-600-2-HDG-S	2	HDG Solid Cable Tray 600(W) x 50(H) x 2(T) mm
600x100	AL-CTSL-100-600-2-HDG-S	2	HDG Solid Cable Tray 600(W) x 100(H) x 2(T) mm
700x50	AL-CTSL-50-700-2-HDG-S	2	HDG Solid Cable Tray 700(W) x 50(H) x 2(T) mm
700x100	AL-CTSL-100-700-2-HDG-S	2	HDG Solid Cable Tray 700(W) x 100(H) x 2(T) mm
900x100	AL-CTSL-100-900-2-HDG-S	2	HDG Solid Cable Tray 900(W) x 100(H) x 2(T) mm

**Note: All Dimensions and finishing available upon request.**

# Cable Tray Accessories

ID	AL	TRAY ACCESSORIES TYPE	DEPTH	WIDTH	THIKNESS	FINISH	DEGREE
	AL	CTB: cable tray Bend	25MM	50MM	1.5MM	GI: PRE-GALVANIZED	90
		CTCO: cable tray cross over	50MM	75MM	2MM	HDG: hot dip galvanized	45
		CTET: cable tray equal tee	75MM	100MM		AL: Aluminium	
		CTIR: cable tray internal riser	100MM	125MM		PC: powder coating	
		CTER: cable tray external riser	150MM	150MM		SS:Stainless Steel	
		CTSR: CABLE TRAY Streaght reducer	200MM	200MM		EC:Epoxy caoting	
			225MM				
			300MM				
			400MM				
			450MM				
			500MM				
			600MM				
			700MM				
			750MM				
			800MM				
			900MM				
			1000MM				

- CTB Cable Tray Bend
- CTCO Cable Tray Cross Over
- CTET Cable Tray Equal Tees
- CTIR CableTray Internal Riser
- CTER Cable Tray External Riser
- CTSR Cable Tray Straight Reducer

## CTB CableTray Bend



### Cable Tray Bend 50 Height


Width x Height	Part Code No.	Thickness	Item Description
50x50	AL-CTB-50-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 50(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
75x50	AL-CTB-75-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 75(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
100x50	AL-CTB-100-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 100(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
150x50	AL-CTB-150-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 150(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
200x50	AL-CTB-200-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 200(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
300x50	AL-CTB-300-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 300(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
400x50	AL-CTB-400-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 400(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
450x50	AL-CTB-450-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 450(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
500x50	AL-CTB-50-500-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 500(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
600x50	AL-CTB-600-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 600(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
750x50	AL-CTB-750-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 750(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow
900x50	AL-CTB-900-50-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 900(W) x 50(H) x 1.5(T) mm, 90°/45° Bend Elbow

### Cable Tray Bend 100 Height

Width x Height	Part Code No.	Thickness	Item Description
100x100	AL-CTB-100-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 100(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
150x100	AL-CTB-150-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 150(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
200x100	AL-CTB-200-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 200(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
300x100	AL-CTB-300-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 300(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
400x100	AL-CTB-400-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 400(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
450x100	AL-CTB-450-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 450(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
500x100	AL-CTB-500-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 500(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
600x100	AL-CTB-600-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 600(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
750x100	AL-CTB-750-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 750(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow
900x100	AL-CTB-900-100-1.5-HDG/PG/55-90°/45°	1.5	Cable Tray 900(W) x 100(H) x 1.5(T) mm, 90°/45° Bend Elbow

**Note: All Dimensions and finishing available upon request.**

## CTCO Cable Tray Cross Over




### Cable Tray Cross Over 50 Height

Width x Height	Part Code No.	Thickness	Item Description
50x50	AL-CTCO-50-50-1.5-HDG/PG/SS	1.5	Cable Tray 50(W) x 50(H) x 1.5(T) mm, Cross Over
75x50	AL-CTCO-50-75-1.5-HDG/PG/SS	1.5	Cable Tray 75(W) x 50(H) x 1.5(T) mm, Cross Over
100x50	AL-CTCO-50-100-1.5-HDG/PG/SS	1.5	Cable Tray 100(W) x 50(H) x 1.5(T) mm, Cross Over
150x50	AL-CTCO-50-150-1.5-HDG/PG/SS	1.5	Cable Tray 150(W) x 50(H) x 1.5(T) mm, Cross Over
200x50	AL-CTCO-50-200-1.5-HDG/PG/SS	1.5	Cable Tray 200(W) x 50(H) x 1.5(T) mm, Cross Over
300x50	AL-CTCO-50-300-1.5-HDG/PG/SS	1.5	Cable Tray 300(W) x 50(H) x 1.5(T) mm, Cross Over
400x50	AL-CTCO-50-400-1.5-HDG/PG/SS	1.5	Cable Tray 400(W) x 50(H) x 1.5(T) mm, Cross Over
450x50	AL-CTCO-50-450-1.5-HDG/PG/SS	1.5	Cable Tray 450(W) x 50(H) x 1.5(T) mm, Cross Over
500x50	AL-CTCO-50-500-1.5-HDG/PG/SS	1.5	Cable Tray 500(W) x 50(H) x 1.5(T) mm, Cross Over
600x50	AL-CTCO-50-600-1.5-HDG/PG/SS	1.5	Cable Tray 600(W) x 50(H) x 1.5(T) mm, Cross Over
750x50	AL-CTCO-50-750-1.5-HDG/PG/SS	1.5	Cable Tray 750(W) x 50(H) x 1.5(T) mm, Cross Over
900x50	AL-CTCO-50-900-1.5-HDG/PG/SS	1.5	Cable Tray 900(W) x 50(H) x 1.5(T) mm, Cross Over

### Cable Tray Cross Over 100 Height

Width x Height	Part Code No.	Thickness	Item Description
100x100	AL-CTCO-100-100-1.5-HDG/PG/SS	1.5	Cable Tray 100(W) x 100(H) x 1.5(T) mm, Cross Over
150x100	AL-CTCO-100-150-1.5-HDG/PG/SS	1.5	Cable Tray 150(W) x 100(H) x 1.5(T) mm, Cross Over
200x100	AL-CTCO-100-200-1.5-HDG/PG/SS	1.5	Cable Tray 200(W) x 100(H) x 1.5(T) mm, Cross Over
300x100	AL-CTCO-100-300-1.5-HDG/PG/SS	1.5	Cable Tray 300(W) x 100(H) x 1.5(T) mm, Cross Over
400x100	AL-CTCO-100-400-1.5-HDG/PG/SS	1.5	Cable Tray 400(W) x 100(H) x 1.5(T) mm, Cross Over
450x100	AL-CTCO-100-450-1.5-HDG/PG/SS	1.5	Cable Tray 450(W) x 100(H) x 1.5(T) mm, Cross Over
500x100	AL-CTCO-100-500-1.5-HDG/PG/SS	1.5	Cable Tray 500(W) x 100(H) x 1.5(T) mm, Cross Over
600x100	AL-CTCO-100-600-1.5-HDG/PG/SS	1.5	Cable Tray 600(W) x 100(H) x 1.5(T) mm, Cross Over
750x100	AL-CTCO-100-750-1.5-HDG/PG/SS	1.5	Cable Tray 750(W) x 100(H) x 1.5(T) mm, Cross Over
900x100	AL-CTCO-100-900-1.5-HDG/PG/SS	1.5	Cable Tray 900(W) x 100(H) x 1.5(T) mm, Cross Over

## CTET Cable Tray Equal Tee



### Cable Tray Equal Tee 50 Height


Width x Height	Part Code No.	Thickness	Item Description
50x50	AL-CTET-50-50-1.5-HDG/PG/SS	1.5	Cable Tray 50(W) x 50(H) x 1.5(T) mm, Equal Tee
75x50	AL-CTET-50-75-1.5-HDG/PG/SS	1.5	Cable Tray 75(W) x 50(H) x 1.5(T) mm, Equal Tee
100x50	AL-CTET-50-100-1.5-HDG/PG/SS	1.5	Cable Tray 100(W) x 50(H) x 1.5(T) mm, Equal Tee
150x50	AL-CTET-50-150-1.5-HDG/PG/SS	1.5	Cable Tray 150(W) x 50(H) x 1.5(T) mm, Equal Tee
200x50	AL-CTET-50-200-1.5-HDG/PG/SS	1.5	Cable Tray 200(W) x 50(H) x 1.5(T) mm, Equal Tee
300x50	AL-CTET-50-300-1.5-HDG/PG/SS	1.5	Cable Tray 300(W) x 50(H) x 1.5(T) mm, Equal Tee
400x50	AL-CTET-50-400-1.5-HDG/PG/SS	1.5	Cable Tray 400(W) x 50(H) x 1.5(T) mm, Equal Tee
450x50	AL-CTET-50-450-1.5-HDG/PG/SS	1.5	Cable Tray 450(W) x 50(H) x 1.5(T) mm, Equal Tee
500x50	AL-CTET-50-500-1.5-HDG/PG/SS	1.5	Cable Tray 500(W) x 50(H) x 1.5(T) mm, Equal Tee
600x50	AL-CTET-50-600-1.5-HDG/PG/SS	1.5	Cable Tray 600(W) x 50(H) x 1.5(T) mm, Equal Tee
750x50	AL-CTET-50-750-1.5-HDG/PG/SS	1.5	Cable Tray 750(W) x 50(H) x 1.5(T) mm, Equal Tee
900x50	AL-CTET-50-900-1.5-HDG/PG/SS	1.5	Cable Tray 900(W) x 50(H) x 1.5(T) mm, Equal Tee

### Cable Tray Equal Tee 100 Height

Width x Height	Part Code No.	Thickness	Item Description
100x100	AL-CTET-100-100-1.5-HDG/PG/SS	1.5	Cable Tray 100(W) x 100(H) x 1.5(T) mm, Equal Tee
150x100	AL-CTET-100-150-1.5-HDG/PG/SS	1.5	Cable Tray 150(W) x 100(H) x 1.5(T) mm, Equal Tee
200x100	AL-CTET-100-200-1.5-HDG/PG/SS	1.5	Cable Tray 200(W) x 100(H) x 1.5(T) mm, Equal Tee
300x100	AL-CTET-100-300-1.5-HDG/PG/SS	1.5	Cable Tray 300(W) x 100(H) x 1.5(T) mm, Equal Tee
400x100	AL-CTET-100-400-1.5-HDG/PG/SS	1.5	Cable Tray 400(W) x 100(H) x 1.5(T) mm, Equal Tee
450x100	AL-CTET-100-450-1.5-HDG/PG/SS	1.5	Cable Tray 450(W) x 100(H) x 1.5(T) mm, Equal Tee
500x100	AL-CTET-100-500-1.5-HDG/PG/SS	1.5	Cable Tray 500(W) x 100(H) x 1.5(T) mm, Equal Tee
600x100	AL-CTET-100-600-1.5-HDG/PG/SS	1.5	Cable Tray 600(W) x 100(H) x 1.5(T) mm, Equal Tee
750x100	AL-CTET-100-750-1.5-HDG/PG/SS	1.5	Cable Tray 750(W) x 100(H) x 1.5(T) mm, Equal Tee
900x100	AL-CTET-100-900-1.5-HDG/PG/SS	1.5	Cable Tray 900(W) x 100(H) x 1.5(T) mm, Equal Tee

**Note: All Dimensions and finishing available upon request.**

# CTIR Cable Tray Internal Riser




## **Cable Tray Internal Riser 50 Height**

Width x Height	Part Code No.	Thickness	Item Description
50x50	AL-CTIR-50-50-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 50(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
75x50	AL-CTIR-50-75-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 75(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
100x50	AL-CTIR-50-100-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 100(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
150x50	AL-CTIR-50-150-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 150(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
200x50	AL-CTIRL-50-200-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 200(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
300x50	AL-CTIR-50-300-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 300(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
400x50	AL-CTIR-50-400-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 400(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
450x50	AL-CTIR-50-450-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 450(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
500x50	AL-CTIR-50-500-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 500(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
600x50	AL-CTIR-50-600-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 600(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
750x50	AL-CTIR-50-750-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 750(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser
900x50	AL-CTIR-50-900-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 900(W) x 50(H) x 1.5(T) x 45°/90°, Internal Riser

## Cable Tray Internal Riser 100 Height

Width x Height	Part Code No.	Thickness	Item Description
100x100	AL-CTR-100-100-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 100(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
150x100	AL-CTR-100-150-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 150(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
200x100	AL-CTR-100-200-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 200(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
300x100	AL-CTR-100-300-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 300(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
400x100	AL-CTR-100-400-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 400(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
450x100	AL-CTR-100-450-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 450(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
500x100	AL-CTR-100-500-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 500(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
600x100	AL-CTR-100-600-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 600(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
750x100	AL-CTR-100-750-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 750(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser
900x100	AL-CTR-100-900-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 900(W) x 100(H) x 1.5(T) x 45°/90°, Internal Riser

# CTIR Cable Tray External Riser



## **Cable Tray External Riser 50 Height**


Width x Height	Part Code No.	Thickness	Item Description
50X50	AL-CTER-50-50-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 50(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
75X50	AL-CTER-75-75-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 75(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
100X50	AL-CTER-50-100-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 100(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
150X50	AL-CTER-50-150-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 150(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
200X50	AL-CTERL-50-200-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 200(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
300X50	AL-CTER-50-300-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 300(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
400X50	AL-CTER-50-400-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 400(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
450X50	AL-CTER-50-450-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 450(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
500X50	AL-CTER-50-500-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 500(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
600X50	AL-CTER-50-600-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 600(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
750X50	AL-CTER-50-750-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 750(W) x 50(H) x 1.5(T) x 45°/90°, External Riser
900X50	AL-CTER-50-900-1.5-45°/90°-HDG/PG/SS	1.5	Cable Tray 900(W) x 50(H) x 1.5(T) x 45°/90°, External Riser

## **Cable Tray External Riser 100 Height**

Width x Height	Part Code No.	Thickness	Item Description
100x100	AL-CTR-100-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 100(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
150x100	AL-CTR-100-150-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 150(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
200x100	AL-CTR-100-200-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 200(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
300x100	AL-CTR-100-300-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 300(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
400x100	AL-CTR-100-400-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 400(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
450x100	AL-CTR-100-450-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 450(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
500x100	AL-CTR-100-500-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 500(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
600x100	AL-CTR-100-600-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 600(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
750x100	AL-CTR-100-750-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 750(W) x 100(H) x 1.5(T) x 45°/90°, External Riser
900x100	AL-CTR-100-900-1.5-45°/90° HDG/PG/SS	1.5	Cable Tray 900(W) x 100(H) x 1.5(T) x 45°/90°, External Riser

**Note: All Dimensions and finishing available upon request.**

## CTSR Cable Tray Straight Reducer





### Cable Tray Straight Reducer 50 Height

Width x Width2 x Height	Part Code No.	Thickness	Item Description
75x50x50	AL-CTR-S0-75-50-1.5-HDG/PG/55	1.5	Cable Tray 75(W) x 50(W2) x 50(H) x 1.5(T) mm, Straight Reducer
100x50x50	AL-CTR-S0-100-50-1.5-HDG/PG/55	1.5	Cable Tray 100(W) x 50(W2) x 50(H) x 1.5(T) mm, Straight Reducer
150x100x50	AL-CTR-S0-150-100-1.5-HDG/PG/55	1.5	Cable Tray 150(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
200x50x50	AL-CTR-S0-200-50-1.5-HDG/PG/55	1.5	Cable Tray 200(W) x 50(W2) x 50(H) x 1.5(T) mm, Straight Reducer
200x100x50	AL-CTR-S0-200-100-1.5-HDG/PG/55	1.5	Cable Tray 200(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
300x100x50	AL-CTR-S0-300-100-1.5-HDG/PG/55	1.5	Cable Tray 300(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
400x100x50	AL-CTR-S0-400-100-1.5-HDG/PG/55	1.5	Cable Tray 400(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
450x100x50	AL-CTR-S0-450-100-1.5-HDG/PG/55	1.5	Cable Tray 450(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
500x100x50	AL-CTR-S0-500-100-1.5-HDG/PG/55	1.5	Cable Tray 500(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
600x100x50	AL-CTR-S0-600-100-1.5-HDG/PG/55	1.5	Cable Tray 600(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
750x100x50	AL-CTR-S0-750-100-1.5-HDG/PG/55	1.5	Cable Tray 750(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer
900x100x50	AL-CTR-S0-900-100-1.5-HDG/PG/55	1.5	Cable Tray 900(W) x 100(W2) x 50(H) x 1.5(T) mm, Straight Reducer

### Cable Tray Straight Reducer 100 Height

Width x Width2 x Height	Part Code No.	Thickness	Item Description
150x100x100	AL-CTR-100-150-100-1.5-HDG/PG/55	1.5	Cable Tray 150(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
200x100x100	AL-CTR-100-200-100-1.5-HDG/PG/55	1.5	Cable Tray 200(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
225x100x100	AL-CTR-100-225-100-1.5-HDG/PG/55	1.5	Cable Tray 225(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
300x100x100	AL-CTR-100-300-100-1.5-HDG/PG/55	1.5	Cable Tray 300(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
400x100x100	AL-CTR-100-400-100-1.5-HDG/PG/55	1.5	Cable Tray 400(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
450x100x100	AL-CTR-100-450-100-1.5-HDG/PG/55	1.5	Cable Tray 450(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
500x100x100	AL-CTR-100-500-100-1.5-HDG/PG/55	1.5	Cable Tray 500(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
600x100x100	AL-CTR-100-600-100-1.5-HDG/PG/55	1.5	Cable Tray 600(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
750x100x100	AL-CTR-100-750-100-1.5-HDG/PG/55	1.5	Cable Tray 750(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer
900x100x100	AL-CTR-100-900-100-1.5-HDG/PG/55	1.5	Cable Tray 900(W) x 100(W2) x 100(H) x 1.5(T) mm, Straight Reducer

## CTLHR Cable Tray Left Hand Reducer/ CTRHR Cable Tray Right Hand Reducer



### Cable Tray Left/Right Reducer 50 Height


Width x Width2 x Height	Part Code No.	Thickness	Item Description
75x50x50	AL-CTI/RHR-S0-75-50-1.5-HDG/PG/55	1.5	Cable Tray 75(W) x 50(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
100x50x50	AL-CTI/RHR-S0-100-50-1.5-HDG/PG/55	1.5	Cable Tray 100(W) x 50(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
150x100x50	AL-CTI/RHR-S0-150-100-1.5-HDG/PG/55	1.5	Cable Tray 150(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
200x50x50	AL-CTI/RHR-S0-200-50-1.5-HDG/PG/55	1.5	Cable Tray 200(W) x 50(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
200x100x50	AL-CTI/RHR-S0-200-100-1.5-HDG/PG/55	1.5	Cable Tray 200(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
300x100x50	AL-CTI/RHR-S0-300-100-1.5-HDG/PG/55	1.5	Cable Tray 300(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
400x100x50	AL-CTI/RHR-S0-400-100-1.5-HDG/PG/55	1.5	Cable Tray 400(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
450x100x50	AL-CTI/RHR-S0-450-100-1.5-HDG/PG/55	1.5	Cable Tray 450(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
500x100x50	AL-CTI/RHR-S0-500-100-1.5-HDG/PG/55	1.5	Cable Tray 500(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
600x100x50	AL-CTI/RHR-S0-600-100-1.5-HDG/PG/55	1.5	Cable Tray 600(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
750x100x50	AL-CTI/RHR-S0-750-100-1.5-HDG/PG/55	1.5	Cable Tray 750(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer
900x100x50	AL-CTI/RHR-S0-900-100-1.5-HDG/PG/55	1.5	Cable Tray 900(W) x 100(W2) x 50(H) x 1.5(T) mm, Left/Right Hand Reducer

### Cable Tray Left/Right Reducer 100 Height

Width x Width2 x Height	Part Code No.	Thickness	Item Description
150x100x100	AL-CTI/RHR-100-150-100-1.5-HDG/PG/55	1.5	Cable Tray 150(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
200x100x100	AL-CTI/RHR-100-200-100-1.5-HDG/PG/55	1.5	Cable Tray 200(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
225x100x100	AL-CTI/RHR-100-225-100-1.5-HDG/PG/55	1.5	Cable Tray 225(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
300x100x100	AL-CTI/RHR-100-300-100-1.5-HDG/PG/55	1.5	Cable Tray 300(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
400x100x100	AL-CTI/RHR-100-400-100-1.5-HDG/PG/55	1.5	Cable Tray 400(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
450x100x100	AL-CTI/RHR-100-450-100-1.5-HDG/PG/55	1.5	Cable Tray 450(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
500x100x100	AL-CTI/RHR-100-500-100-1.5-HDG/PG/55	1.5	Cable Tray 500(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
600x100x100	AL-CTI/RHR-100-600-100-1.5-HDG/PG/55	1.5	Cable Tray 600(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
750x100x100	AL-CTI/RHR-100-750-100-1.5-HDG/PG/55	1.5	Cable Tray 750(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer
900x100x100	AL-CTI/RHR-100-900-100-1.5-HDG/PG/55	1.5	Cable Tray 900(W) x 100(W2) x 100(H) x 1.5(T) mm, Left/Right Hand Reducer

**Note: All Dimensions and finishing available upon request.**

## CTAOB Cable Tray Add On Branch



**Cable Tray Add On Branch 50 Height**

Width1 x Width2 x Height	Part Code No.	Thickness	Item Description
150x100x50	AL-CTAOB-100-150-50-1.5-HDG/PG/SS	1.5	Cable Tray 150(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
200x100x50	AL-CTAOB-100-200-50-1.5-HDG/PG/SS	1.5	Cable Tray 200(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
225x100x50	AL-CTAOB-100-225-50-1.5-HDG/PG/SS	1.5	Cable Tray 225(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
300x100x50	AL-CTAOB-100-300-50-1.5-HDG/PG/SS	1.5	Cable Tray 300(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
400x100x50	AL-CTAOB-100-400-50-1.5-HDG/PG/SS	1.5	Cable Tray 400(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
450x100x50	AL-CTAOB-100-450-50-1.5-HDG/PG/SS	1.5	Cable Tray 450(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
500x100x50	AL-CTAOB-100-500-50-1.5-HDG/PG/SS	1.5	Cable Tray 500(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
600x100x50	AL-CTAOB-100-600-50-1.5-HDG/PG/SS	1.5	Cable Tray 600(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
750x100x50	AL-CTAOB-100-750-50-1.5-HDG/PG/SS	1.5	Cable Tray 750(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch
900x100x50	AL-CTAOB-100-900-50-1.5-HDG/PG/SS	1.5	Cable Tray 900(W1) x 100(W2) x 50(H) x 1.5(T) mm, Add ON Branch

**Cable Tray Add On Branch 100 Height**

Width1 x Width2 x Height	Part Code No.	Thickness	Item Description
150x100x100	AL-CTAOB-100-150-100-1.5-HDG/PG/SS	1.5	Cable Tray 150(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
200x100x100	AL-CTAOB-100-200-100-1.5-HDG/PG/SS	1.5	Cable Tray 200(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
225x100x100	AL-CTAOB-100-225-100-1.5-HDG/PG/SS	1.5	Cable Tray 225(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
300x100x100	AL-CTAOB-100-300-100-1.5-HDG/PG/SS	1.5	Cable Tray 300(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
400x100x100	AL-CTAOB-100-400-100-1.5-HDG/PG/SS	1.5	Cable Tray 400(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
450x100x100	AL-CTAOB-100-450-100-1.5-HDG/PG/SS	1.5	Cable Tray 450(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
500x100x100	AL-CTAOB-100-500-100-1.5-HDG/PG/SS	1.5	Cable Tray 500(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
600x100x100	AL-CTAOB-100-600-100-1.5-HDG/PG/SS	1.5	Cable Tray 600(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
750x100x100	AL-CTAOB-100-750-100-1.5-HDG/PG/SS	1.5	Cable Tray 750(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch
900x100x100	AL-CTAOB-100-900-100-1.5-HDG/PG/SS	1.5	Cable Tray 900(W1) x 100(W2) x 100(H) x 1.5(T) mm, Add ON Branch

## CTVAR Cable Tray Vertical Adjustable Riser



**Cable Tray Vertical Adjustable Riser 50 Height**

Width x Height	Part Code No.	Thickness	Item Description
100x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 100(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
150x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 150(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
200x50	AL-CTARL-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 200(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
300x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 300(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
400x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 400(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
450x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 450(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
500x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 500(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
600x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 600(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
750x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 750(W) x 50(H) x 1.5(T), Vertical Adjustable Riser
900x50	AL-CTAR-100-50-1.5-HDG/PG/SS	1.5	Cable Tray 900(W) x 50(H) x 1.5(T), Vertical Adjustable Riser

**Cable Tray Vertical Adjustable Riser 100 Height**

Width x Height	Part Code No.	Thickness	Item Description
100x100	AL-CTAR-100-100-1.5-HDG/PG/SS	1.5	Cable Tray 100(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
150x100	AL-CTAR-100-150-1.5-HDG/PG/SS	1.5	Cable Tray 150(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
200x100	AL-CTARL-100-200-1.5-HDG/PG/SS	1.5	Cable Tray 200(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
300x100	AL-CTAR-100-300-1.5-HDG/PG/SS	1.5	Cable Tray 300(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
400x100	AL-CTAR-100-400-1.5-HDG/PG/SS	1.5	Cable Tray 400(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
450x100	AL-CTAR-100-450-1.5-HDG/PG/SS	1.5	Cable Tray 450(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
500x100	AL-CTAR-100-500-1.5-HDG/PG/SS	1.5	Cable Tray 500(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
600x100	AL-CTAR-100-600-1.5-HDG/PG/SS	1.5	Cable Tray 600(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
750x100	AL-CTAR-100-750-1.5-HDG/PG/SS	1.5	Cable Tray 750(W) x 100(H) x 1.5(T), Vertical Adjustable Riser
900x100	AL-CTAR-100-900-1.5-HDG/PG/SS	1.5	Cable Tray 900(W) x 100(H) x 1.5(T), Vertical Adjustable Riser

**Note: All Dimensions and finishing available upon request.**

## Cable Ladders




### Standard Finishes :

- **HDG** Hot dip Galvanized to BS EN ISO1461:1999 (Formerly BS 729)
- **PG** Pre-galvanized to BS EN10142 &10143
- **PC** Powder Coating to suit clients requirements
- **SS** Stainless steel finish to required grades

### Specification Material

- Related Standard as QCS 2014 & NEMA VE-1
- Rung types :41mm x 21mm channel
- Rungs alternatively reversed as standard at 300mm max. centres.
- Available in mild steel Hot dip galvanised, Aluminium, Powder Coating, Stainless steel & Epoxy coating
- Complies with BS EN 61537:2000




### Identification and Selection

CABLE LADDER								
ID	AL	LADER STRAIGHT LENGTH	TYPE	DEPTH	WIDTH	THIKNESS	FINISH	LENGTH
	AL	LSL	CH:CHANNEL	25MM	50MM	1.5MM	HDG: Hot dip galvanized	2.44M
				50MM	75MM	2.0MM	AL: Aluminium	3M
				75MM	100MM		PC: Powder coating	
				85MM	125MM		SS:Stainless Steel	
				100MM	150MM		EC:Epoxy coating	
				125MM	200MM			
				150MM	225MM			
				200MM	300MM			
				400MM				
				450MM				
				500MM				
				600MM				
				700MM				
				750MM				
				800MM				
				900MM				
				1000MM				
				1200MM				

**Note: All Dimensions and finishing available upon request.**

# Cable Ladders



Width x Depth (mm)	Part Code No.	Thickness	Item Description
100x100	AL-LSL-100-100-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 100(W) x 100(H) x 1.5/2(T) mm, 3m Length
150x100	AL-LSL-100-150-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 150(W) x 100(H) x 1.5/2(T) mm, 3m Length
200x100	AL-LSL-100-200-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 200(W) x 100(H) x 1.5/2(T) mm, 3m Length
300x100	AL-LSL-100-300-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 300(W) x 100(H) x 1.5/2(T) mm, 3m Length
400x100	AL-LSL-100-400-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 400(W) x 100(H) x 1.5/2(T) mm, 3m Length
450x100	AL-LSL-100-450-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 450(W) x 100(H) x 1.5/2(T) mm, 3m Length
500x100	AL-LSL-100-500-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 500(W) x 100(H) x 1.5/2(T) mm, 3m Length
600x100	AL-LSL-100-600-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 600(W) x 100(H) x 1.5/2(T) mm, 3m Length
700x100	AL-LSL-100-700-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 700(W) x 100(H) x 1.5/2(T) mm, 3m Length
900x100	AL-LSL-100-900-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 900(W) x 100(H) x 1.5/2(T) mm, 3m Length
1000x100	AL-LSL-100-1000-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 1000(W) x 100(H) x 1.5/2(T) mm, 3m Length
1200x100	AL-LSL-100-1200-1.5/2mm-HDG/PC/SS-2.44/3m-l	2	Straight Length Cable Ladder 1200(W) x 100(H) x 1.5/2(T) mm, 3m Length

\*Finish: Powder Coating = PC, hot dip galvanised = HDG, stainless steel grade 316 = SS

**Note: All Dimensions and finishing available upon request.**

# Cable Ladder Accessories

CABLE LADDER ACCESSORIES								
ID	AL	LADER ACCESSORIES	TYPE	DEPTH	WIDH	THIKNESS	FINISH	FLANGE
	AL	LC: LADDER CROSS	CH: CHANNEL	25MM	50MM	1.5MM	HDG: hot dip galvanized	I: INSIDE FLANGE
		LET: LADDER EQUAL TEE	R: ROUND	50MM	75MM	2MM	AL: Aluminium	O: OUTSIDE FLANGE
		LUT: LADDER UNEQUAL TEE		75MM	100MM		PC: powder coating	
		LIR: LADDER INTERNAL RISER		85MM	125MM		SS:Stainless Steel	
		LER: LADDER EXTERNAL RISER		100MM	150MM		EC:Epoxy coating	
		LSR: LADDER SREAGHT REDUCER		125MM	200MM			
		LRR: LADDER RIGHT REDUCER		150MM	225MM			
		LLR: LADDER LEFT REDUCER		200MM	300MM			
				400MM				
				450MM				
				500MM				
				600MM				
				700MM				
				750MM				
				800MM				
				900MM				
				1000MM				
				1200MM				

- LC Cable Ladder Cross
- LET Cable Ladder Equal Tee
- LUT Cable Ladder Unequal Tee
- LIR Cable Ladder Internal Riser
- LER Cable Ladder External Riser
- LSR Cable Ladder Straight Reducer

## LC Cable Ladder Cross



Width x Depth (mm)	Part Code No.	Thickness	Item Description
100x100	AL-LC-CH/R-100-100-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 100(W) x 100(H) x 1.5/2(T) mm
150x100	AL-LC-CH/R-100-150-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 150(W) x 100(H) x 1.5/2(T) mm
200x100	AL-LC-CH/R-100-200-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 200(W) x 100(H) x 1.5/2(T) mm
300x100	AL-LC-CH/R-100-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 300(W) x 100(H) x 1.5/2(T) mm
400x100	AL-LC-CH/R-100-400-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 400(W) x 100(H) x 1.5/2(T) mm
450x100	AL-LC-CH/R-100-450-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 450(W) x 100(H) x 1.5/2(T) mm
500x100	AL-LC-CH/R-100-500-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 500(W) x 100(H) x 1.5/2(T) mm
600x100	AL-LC-CH/R-100-600-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 600(W) x 100(H) x 1.5/2(T) mm
700x100	AL-LC-CH/R-100-700-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 700(W) x 100(H) x 1.5/2(T) mm
900x100	AL-LC-CH/R-100-900-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 900(W) x 100(H) x 1.5/2(T) mm
1000x100	AL-LC-CH/R-100-1000-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 1000(W) x 100(H) x 1.5/2(T) mm
1200x100	AL-LC-CH/R-100-1200-1.5/2-HDG/PC/SS-I	2	Cable Ladder Cross, 1200(W) x 100(H) x 1.5/2(T) mm

**Note: All Dimensions and finishing available upon request.**

## LET Cable Ladder Equal Tee



Width x Depth (mm)	Part Code No.	Thickness	Item Description
100x100	AL-LET-CH/R-100-100-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 100(W) x 100(H) x 1.5/2(T) mm
150x100	AL-LET-CH/R-100-150-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 150(W) x 100(H) x 1.5/2(T) mm
200x100	AL-LET-CH/R-100-200-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 200(W) x 100(H) x 1.5/2(T) mm
300x100	AL-LET-CH/R-100-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 300(W) x 100(H) x 1.5/2(T) mm
400x100	AL-LET-CH/R-100-400-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 400(W) x 100(H) x 1.5/2(T) mm
450x100	AL-LET-CH/R-100-450-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 450(W) x 100(H) x 1.5/2(T) mm
500x100	AL-LET-CH/R-100-500-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 500(W) x 100(H) x 1.5/2(T) mm
600x100	AL-LET-CH/R-100-600-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 600(W) x 100(H) x 1.5/2(T) mm
700x100	AL-LET-CH/R-100-700-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 700(W) x 100(H) x 1.5/2(T) mm
900x100	AL-LET-CH/R-100-900-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 900(W) x 100(H) x 1.5/2(T) mm
1000x100	AL-LET-CH/R-100-1000-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 1000(W) x 100(H) x 1.5/2(T) mm
1200x100	AL-LET-CH/R-100-1200-1.5/2-HDG/PC/SS-I	2	Cable Ladder Equal Tee, 1200(W) x 100(H) x 1.5/2(T) mm

## LB Cable Ladder Bend



Width x Depth (mm)	Part Code No.	Thickness	Item Description
100x100	AL-LB-CH/R-100-100-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 100(W) x 100(H) x 1.5/2(T) mm
150x100	AL-LB-CH/R-100-150-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 150(W) x 100(H) x 1.5/2(T) mm
200x100	AL-LB-CH/R-100-200-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 200(W) x 100(H) x 1.5/2(T) mm
300x100	AL-LB-CH/R-100-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 300(W) x 100(H) x 1.5/2(T) mm
400x100	AL-LB-CH/R-100-400-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 400(W) x 100(H) x 1.5/2(T) mm
450x100	AL-LB-CH/R-100-450-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 450(W) x 100(H) x 1.5/2(T) mm
500x100	AL-LB-CH/R-100-500-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 500(W) x 100(H) x 1.5/2(T) mm
600x100	AL-LB-CH/R-100-600-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 600(W) x 100(H) x 1.5/2(T) mm
700x100	AL-LB-CH/R-100-700-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 700(W) x 100(H) x 1.5/2(T) mm
900x100	AL-LB-CH/R-100-900-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 900(W) x 100(H) x 1.5/2(T) mm
1000x100	AL-LB-CH/R-100-1000-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 1000(W) x 100(H) x 1.5/2(T) mm
1200x100	AL-LB-CH/R-100-1200-1.5/2-HDG/PC/SS-I	2	Cable Ladder BEND, 1200(W) x 100(H) x 1.5/2(T) mm

**Note: All Dimensions and finishing available upon request.**


## LIR Cable Ladder Internal Riser

Width x Depth (mm)	Part Code No.	Thickness	Item Description
100x100	AL-LIR-CH/R-100-100-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 100(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
150x100	AL-LIR-CH/R-100-150-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 150(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
200x100	AL-LIR-CH/R-100-200-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 200(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
300x100	AL-LIR-CH/R-100-300-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 300(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
400x100	AL-LIR-CH/R-100-400-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 400(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
450x100	AL-LIR-CH/R-100-450-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 450(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
500x100	AL-LIR-CH/R-100-500-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 500(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
600x100	AL-LIR-CH/R-100-600-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 600(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
700x100	AL-LIR-CH/R-100-700-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 700(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
900x100	AL-LIR-CH/R-100-900-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder Internal Riser, 900(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend



## LER Cable Ladder External Riser


Width x Depth (mm)	Part Code No.	Thickness	Item Description
100x100	AL-LER-CH/R-100-100-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 100(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
150x100	AL-LER-CH/R-100-150-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 150(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
200x100	AL-LER-CH/R-100-200-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 200(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
300x100	AL-LER-CH/R-100-300-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 300(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
400x100	AL-LER-CH/R-100-400-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 400(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
450x100	AL-LER-CH/R-100-450-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 450(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
500x100	AL-LER-CH/R-100-500-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 500(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
600x100	AL-LER-CH/R-100-600-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 600(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
700x100	AL-LER-CH/R-100-700-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 700(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend
900x100	AL-LER-CH/R-100-900-1.5/2-HDG/PC/SS-90°/45°-I	2	Cable Ladder External Riser, 900(W) x 100(H) x 1.5/2(T) mm, 90°/45° Bend



**Note: All Dimensions and finishing available upon request.**


## LSR Cable Ladder Straight Reducer

Width1x Width2x Depth (mm)	Part Code No.	Thickness	Item Description
100x150x100	AL-LSR-CH/R-100-150-100-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 100(W1) x 150(W2) x 100(H) x 1.5/2(T) mm
150x200x100	AL-LSR-CH/R-100-200-150-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 150(W1) x 200(W2) x 100(H) x 1.5/2(T) mm
200x150x100	AL-LSR-CH/R-100-150-200-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 200(W1) x 150(W2) x 100(H) x 1.5/2(T) mm
300x200x100	AL-LSR-CH/R-100-200-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 300(W1) x 200(W2) x 100(H) x 1.5/2(T) mm
450x300x100	AL-LSR-CH/R-100-450-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 450(W1) x 300(W2) x 100(H) x 1.5/2(T) mm
500x400x100	AL-LSR-CH/R-100-400-500-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 500(W1) x 400(W2) x 100(H) x 1.5/2(T) mm
900x300x100	AL-LSR-CH/R-100-900-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 900(W1) x 300(W2) x 100(H) x 1.5/2(T) mm
900x450x100	AL-LSR-CH/R-100-900-450-1.5/2-HDG/PC/SS-I	2	Cable Ladder Straight Reducer, 900(W1) x 450(W2) x 100(H) x 1.5/2(T) mm



## LLR Cable Ladder Left Reducer

Width1x Width2x Depth (mm)	Part Code No.	Thickness	Item Description
100x150x100	AL-LLR-CH/R-100-150-100-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 100(W1) x 150(W2) x 100(H) x 1.5/2(T) mm
150x200x100	AL-LLR-CH/R-100-200-150-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 150(W1) x 200(W2) x 100(H) x 1.5/2(T) mm
200x150x100	AL-LLR-CH/R-100-150-200-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 200(W1) x 150(W2) x 100(H) x 1.5/2(T) mm
300x200x100	AL-LLR-CH/R-100-200-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 300(W1) x 200(W2) x 100(H) x 1.5/2(T) mm
400x300x100	AL-LLR-CH/R-100-300-400-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 400(W1) x 300(W2) x 100(H) x 1.5/2(T) mm
500x400x100	AL-LLR-CH/R-100-400-500-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 500(W1) x 400(W2) x 100(H) x 1.5/2(T) mm
600x300x100	AL-LLR-CH/R-100-300-600-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 600(W1) x 300(W2) x 100(H) x 1.5/2(T) mm
900x600x100	AL-LLR-CH/R-100-600-900-1.5/2-HDG/PC/SS-I	2	Cable Ladder Left Reducer, 900(W1) x 600(W2) x 100(H) x 1.5/2(T) mm




## LRR Cable Ladder Right Reducer

Width1x Width2x Depth (mm)	Part Code No.	Thickness	Item Description
100x150x100	AL-LRR-CH/R-100-150-100-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 100(W1) x 150(W2) x 100(H) x 1.5/2(T) mm
150x200x100	AL-LRR-CH/R-100-200-150-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 150(W1) x 200(W2) x 100(H) x 1.5/2(T) mm
200x150x100	AL-LRR-CH/R-100-150-200-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 200(W1) x 150(W2) x 100(H) x 1.5/2(T) mm
300x200x100	AL-LRR-CH/R-100-200-300-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 300(W1) x 200(W2) x 100(H) x 1.5/2(T) mm
400x300x100	AL-LRR-CH/R-100-300-400-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 400(W1) x 300(W2) x 100(H) x 1.5/2(T) mm
500x400x100	AL-LRR-CH/R-100-400-500-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 500(W1) x 400(W2) x 100(H) x 1.5/2(T) mm
600x300x100	AL-LRR-CH/R-100-300-600-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 600(W1) x 300(W2) x 100(H) x 1.5/2(T) mm
900x600x100	AL-LRR-CH/R-100-600-900-1.5/2-HDG/PC/SS-I	2	Cable Ladder Right Reducer, 900(W1) x 600(W2) x 100(H) x 1.5/2(T) mm




**Note: All Dimensions and finishing available upon request.**

## Cable Trays & Ladder Cover



## LET Cable Ladder Equal Tee




Width (mm)	Part Code No.	Thickness	Item Description
100	AL-LSLC/TSLC-100-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 100(W) x 1.5/2(T) mm, 3m Length
150	AL-LSLC/TSLC-150-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 150(W) x 1.5/2(T) mm, 3m Length
200	AL-LSLC/TSLC-200-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 200(W) x 1.5/2(T) mm, 3m Length
300	AL-LSLC/TSLC-300-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 300(W) x 1.5/2(T) mm, 3m Length
400	AL-LSLC/TSLC-400-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 400(W) x 1.5/2(T) mm, 3m Length
450	AL-LSLC/TSLC-450-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 450(W) x 1.5/2(T) mm, 3m Length
500	AL-LSLC/TSLC-500-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 500(W) x 1.5/2(T) mm, 3m Length
600	AL-LSLC/TSLC-600-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 600(W) x 1.5/2(T) mm, 3m Length
700	AL-LSLC/TSLC-700-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 700(W) x 1.5/2(T) mm, 3m Length
900	AL-LSLC/TSLC-900-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 900(W) x 1.5/2(T) mm, 3m Length
1000	AL-LSLC/TSLC-1000-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 1000(W) x 1.5/2(T) mm, 3m Length
1200	AL-LSLC/TSLC-1200-1.5/2mm-HDG/PG/PC/SS-2.44/3m	1.5	Straight Length Cable Ladder / Tray Cover 1200(W) x 1.5/2(T) mm, 3m Length

**Note: All Dimensions and finishing available upon request.**

## TCC/LCC- Cable Trays & Ladder Cross Cover

Width x Depth (mm)	Part Code No.	Thickness	Item Description
100	AL-LCC/TCC-100-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 100(W) x 1.5/2(T) mm
150	AL-LCC/TCC-150-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 150(W) x 1.5/2(T) mm
200	AL-LCC/TCC-200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 200(W) x 1.5/2(T) mm
300	AL-LCC/TCC-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 300(W) x 1.5/2(T) mm
400	AL-LCC/TCC-400-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 400(W) x 1.5/2(T) mm
450	AL-LCC/TCC-450-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 450(W) x 1.5/2(T) mm
500	AL-LCC/TCC-500-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 500(W) x 1.5/2(T) mm
600	AL-LCC/TCC-600-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 600(W) x 1.5/2(T) mm
700	AL-LCC/TCC-700-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 700(W) x 1.5/2(T) mm
900	AL-LCC/TCC-900-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 900(W) x 1.5/2(T) mm
1000	AL-LCC/TCC-1000-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 1000(W) x 1.5/2(T) mm
1200	AL-LCC/TCC-1200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Cross Cover, 1200(W) x 1.5/2(T) mm



## TETC/LET- Cable Trays & Ladder Equal Tee Cover

Width x Depth (mm)	Part Code No.	Thickness	Item Description
100	AL-LET/TETC-100-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 100(W) x 1.5/2(T) mm
150	AL-LET/TETC-150-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 150(W) x 1.5/2(T) mm
200	AL-LET/TETC-200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 200(W) x 1.5/2(T) mm
300	AL-LET/TETC-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 300(W) x 1.5/2(T) mm
400	AL-LET/TETC-400-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 400(W) x 1.5/2(T) mm
450	AL-LET/TETC-450-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 450(W) x 1.5/2(T) mm
500	AL-LET/TETC-500-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 500(W) x 1.5/2(T) mm
600	AL-LET/TETC-600-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 600(W) x 1.5/2(T) mm
700	AL-LET/TETC-700-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 700(W) x 1.5/2(T) mm
900	AL-LET/TETC-900-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 900(W) x 1.5/2(T) mm
1000	AL-LET/TETC-1000-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 1000(W) x 1.5/2(T) mm
1200	AL-LET/TETC-1200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Equal Tee Cover, 1200(W) x 1.5/2(T) mm



## TUTC/LUTC - Cable Trays & Ladder Unequal Tee Cover


Width1xWidth3 (mm)	Part Code No.	Thickness	Item Description
100x100x150	AL-LUTC/TUTC-150-100-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Unequal Tee Cover, 100(W1) x 100(W2) x 150(W3) x 1.5/2(T) mm
150x150x200	AL-LUTC/TUTC-200-150-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Unequal Tee Cover, 150(W1) x 150(W2) x 200(W3) x 1.5/2(T) mm
200x200x300	AL-LUTC/TUTC-300-200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Unequal Tee Cover, 200(W1) x 200(W2) x 300(W3) x 1.5/2(T) mm
200x300x200	AL-LUTC/TUTC-200-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Unequal Tee Cover, 200(W1) x 300(W2) x 200(W3) x 1.5/2(T) mm
400x300x400	AL-LUTC/TUTC-400-300-400-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Unequal Tee Cover, 400(W1) x 300(W2) x 400(W3) x 1.5/2(T) mm
600x400x600	AL-LUTC/TUTC-600-400-600-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Unequal Tee Cover, 600(W1) x 400(W2) x 600(W3) x 1.5/2(T) mm
700x600x700	AL-LUTC/TUTC-700-600-700-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Unequal Tee Cover, 700(W1) x 600(W2) x 700(W3) x 1.5/2(T) mm



**Note: All Dimensions and finishing available upon request.**


## TERC/LERC- Cable Trays & Ladder External Riser Cover

Width (mm)	Part Code No.	Thickness	Item Description
100	AL-LERC/TERC-100-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 100(W) x 1.5/2(T) mm, 90°/45° Bend
150	AL-LERC/TERC-150-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 150(W) x 1.5/2(T) mm, 90°/45° Bend
200	AL-LERC/TERC-200-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 200(W) x 1.5/2(T) mm, 90°/45° Bend
300	AL-LERC/TERC-300-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 300(W) x 1.5/2(T) mm, 90°/45° Bend
400	AL-LERC/TERC-400-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 400(W) x 1.5/2(T) mm, 90°/45° Bend
450	AL-LERC/TERC-450-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 450(W) x 1.5/2(T) mm, 90°/45° Bend
500	AL-LERC/TERC-500-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 500(W) x 1.5/2(T) mm, 90°/45° Bend
600	AL-LERC/TERC-600-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 600(W) x 1.5/2(T) mm, 90°/45° Bend
700	AL-LERC/TERC-700-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 700(W) x 1.5/2(T) mm, 90°/45° Bend
900	AL-LERC/TERC-900-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 900(W) x 1.5/2(T) mm, 90°/45° Bend
1000	AL-LERC/TERC-1000-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 1000(W) x 1.5/2(T) mm, 90°/45° Bend
1200	AL-LERC/TERC-1200-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray External Riser Cover, 1200(W) x 1.5/2(T) mm, 90°/45° Bend



## LRR Cable Ladder Right Reducer


Width (mm)	Part Code No.	Thickness	Item Description
100	AL-URC/TIBC-100-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 100(W) x 1.5/2(T) mm, 90°/45° Bend
150	AL-URC/TIBC-150-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 150(W) x 1.5/2(T) mm, 90°/45° Bend
200	AL-URC/TIBC-200-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 200(W) x 1.5/2(T) mm, 90°/45° Bend
300	AL-URC/TIBC-300-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 300(W) x 1.5/2(T) mm, 90°/45° Bend
400	AL-URC/TIBC-400-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 400(W) x 1.5/2(T) mm, 90°/45° Bend
450	AL-URC/TIBC-450-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 450(W) x 1.5/2(T) mm, 90°/45° Bend
500	AL-URC/TIBC-500-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 500(W) x 1.5/2(T) mm, 90°/45° Bend
600	AL-URC/TIBC-600-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 600(W) x 1.5/2(T) mm, 90°/45° Bend
700	AL-URC/TIBC-700-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 700(W) x 1.5/2(T) mm, 90°/45° Bend
900	AL-URC/TIBC-900-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 900(W) x 1.5/2(T) mm, 90°/45° Bend
1000	AL-URC/TIBC-1000-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 1000(W) x 1.5/2(T) mm, 90°/45° Bend
1200	AL-URC/TIBC-1200-1.5/2-HDG/PC/PG/55-90°/45°	1.5	Cable Ladder / Tray Internal Riser Cover, 1200(W) x 1.5/2(T) mm, 90°/45° Bend



**Note: All Dimensions and finishing available upon request.**

## TSRC/LSRC - Cable Trays & Ladder Straight Reducer Cover

Width1x Width2 (mm)	Part Code No.	Thickness	Item Description
100x150	AL-LSRC/TSRC-150-100-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Straight Reducer Cover, 150(W1) x 100(W2) x 1.5/2(T) mm
150x200	AL-LSRC/TSRC-200-150-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Straight Reducer Cover, 200(W1) x 150(W2) x 1.5/2(T) mm
300x200	AL-LSRC/TSRC-300-200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Straight Reducer Cover, 300(W1) x 200(W2) x 1.5/2(T) mm
400x300	AL-LSRC/TSRC-400-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Straight Reducer Cover, 400(W1) x 300(W2) x 1.5/2(T) mm
500x400	AL-LSRC/TSRC-500-400-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Straight Reducer Cover, 500(W1) x 400(W2) x 1.5/2(T) mm
600x300	AL-LSRC/TSRC-600-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Straight Reducer Cover, 600(W1) x 300(W2) x 1.5/2(T) mm
900x600	AL-LSRC/TSRC-900-600-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Straight Reducer Cover, 900(W1) x 600(W2) x 1.5/2(T) mm



## LRC/LLRC- Cable Trays & Ladder Left Reducer Cover

Width1x Width2 (mm)	Part Code No.	Thickness	Item Description
100x150	AL-LRC/LLRC-150-100-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 150(W1) x 100(W2) x 1.5/2(T) mm
150x200	AL-LRC/LLRC-200-150-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 200(W1) x 150(W2) x 1.5/2(T) mm
300x200	AL-LRC/LLRC-300-200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 300(W1) x 200(W2) x 1.5/2(T) mm
400x300	AL-LRC/LLRC-400-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 400(W1) x 300(W2) x 1.5/2(T) mm
500x400	AL-LRC/LLRC-500-400-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 500(W1) x 400(W2) x 1.5/2(T) mm
600x300	AL-LRC/LLRC-600-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 600(W1) x 300(W2) x 1.5/2(T) mm
900x600	AL-LRC/LLRC-900-600-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 900(W1) x 600(W2) x 1.5/2(T) mm



## TRRC/LRRC - CableTrays & Ladder Right Reducer Cover

Width1x Width2 (mm)	Part Code No.	Thickness	Item Description
100x150	AL-LRRC/TRRC-150-100-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Right Reducer Cover, 150(W1) x 100(W2) x 1.5/2(T) mm
150x200	AL-LRRC/TRRC-200-150-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 200(W1) x 150(W2) x 1.5/2(T) mm
300x200	AL-LRRC/TRRC-300-200-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 300(W1) x 200(W2) x 1.5/2(T) mm
400x300	AL-LRRC/TRRC-400-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 400(W1) x 300(W2) x 1.5/2(T) mm
500x400	AL-LRRC/TRRC-500-400-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 500(W1) x 400(W2) x 1.5/2(T) mm
600x300	AL-LRRC/TRRC-600-300-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 600(W1) x 300(W2) x 1.5/2(T) mm
900x600	AL-LRRC/TRRC-900-600-1.5/2-HDG/PC/PG/SS	1.5	Cable Ladder / Tray Left Reducer Cover, 900(W1) x 600(W2) x 1.5/2(T) mm



**Note: All Dimensions and finishing available upon request.**

## Cable Trunking System

The comprehensive cable trunking ranges consist of standard distribution trunking and lighting trunking.


Standard distribution trunking is available in widths up to 325 mm as standard. Lids are attached by turnbuckle fixings, with Screw fix and tamper proof fixings also available as optional.



### Feature Benefits

- Manufactured from steel complying with BS EN 10327:2004
- Complies with BS EN 1:2006 - 2 - 50085 & 1:2005 - 50085
- As Pre-galvanised, standard and powder coated to order.
- 5 year guarantee.


# Cable Trunking

**Materials**

- Standard: BS 4678(BS 9008-1)
- Raw Material: BS EN 10142/3

**Finishing:**

- Pre-galvanized
- Hot Dip Galvanized (BS 1461)
- Powder Coated And Epoxy Paint

**Identification and Selection**

TRUNK STRAIGHT LENGTH	COMPARTMENT	DEPTH	WIDTH	THICKNESS	FINISH	LENGTH	COVER TYPE	Trunk type
TSL	1	25MM	50MM	1.5MM	GI: PRE-GALVANIZED	2.44M	SC: SCREW TYPE	UF: underfloor
	2	50MM	75MM	1.62MM(16566)	HDG: hot dip galvanized	3M	BF: TURN BUKEL	
	3	75MM	100MM	2MM	AL:			
	4	85MM	125MM		PC: powder coating			
		100MM	150MM		SS: Stainless Steel			
		150MM	200MM		EC:Epoxy coating			
		200MM	225MM					
		300MM	300MM					
		400MM	400MM					

**Note: All Dimensions and finishing available upon request.**

## Single Compartment

Width X Depth (mm)	Part No.	Thickness	Description
50X50	AL-TSL-1-50X50-1.5-PG/HDG/SS-L-2.44/3-BF/ST	1.5	Straight trunking, Single Compartment, 50 deep, 50 wide, PG/HDG, BF/SC
75X50	AL-TSL-1-75X50-1.5-PG/HDG/SS-L-2.44/3-BF/ST	1.5	Straight trunking, Single Compartment, 50 deep, 75 wide, PG/HDG, BF/SC
100X100	AL-TSL-1-100X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TSL-1-150X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TSL-1-200X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TSL-1-250X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 100 deep, 250 wide, PG/HDG, BF/SC
200X150	AL-TSL-1-200X150-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 150 deep, 200 wide, PG/HDG, BF/SC
200X200	AL-TSL-1-200X200-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 200 deep, 200 wide, PG/HDG, BF/SC
300X300	AL-TSL-1-300X300-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 300 deep, 300 wide, PG/HDG, BF/SC
400X400	AL-TSL-1-400X400-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.62	Straight trunking, Single Compartment, 400 deep, 400 wide, PG/HDG, BF/SC



## Double Compartment

Width X Depth (mm)	Part No.	Thickness	Description
50X25	AL-TSL-2-50X25-1.5-PG/HDG/SS-L-2.44/3-BF/ST	1.5	Straight trunking, Double Compartment, 25 deep, 50 wide, PG/HDG, BF/SC
75X50	AL-TSL-2-75X50-1.5-PG/HDG/SS-L-2.44/3-BF/ST	1.5	Straight trunking, Double Compartment, 50 deep, 75 wide, PG/HDG, BF/SC
100X100	AL-TSL-2-100X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TSL-2-150X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TSL-2-200X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TSL-2-250X100-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 100 deep, 250 wide, PG/HDG, BF/SC
200X150	AL-TSL-2-200X150-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 150 deep, 200 wide, PG/HDG, BF/SC
200X200	AL-TSL-2-200X200-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 200 deep, 200 wide, PG/HDG, BF/SC
300X300	AL-TSL-2-300X300-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 300 deep, 300 wide, PG/HDG, BF/SC
400X400	AL-TSL-2-400X400-1.6-PG/HDG/SS-L-2.44/3-BF/ST	1.6	Straight trunking, Double Compartment, 400 deep, 400 wide, PG/HDG, BF/SC



## Under Floor

Width X Depth (mm)	Part No.	Thickness	Description
100x40	AL-TSL-2-100X40-1.2-PG/HDG/SS-L-2.44/3-UF	1.2	Straight trunking, Double Compartment, 40 deep, 100 wide, PG/HDG, Under Floor
125x40	AL-TSL-2-125X40-1.2-PG/HDG/SS-L-2.44/3-UF	1.2	Straight trunking, Double Compartment, 40 deep, 125 wide, PG/HDG, Under Floor
150x40	AL-TSL-2-150X40-1.2-PG/HDG/SS-L-2.44/3-UF	1.2	Straight trunking, Double Compartment, 40 deep, 150 wide, PG/HDG, Under Floor
200x40	AL-TSL-2-200X40-1.2-PG/HDG/SS-L-2.44/3-UF	1.2	Straight trunking, Double Compartment, 40 deep, 200 wide, PG/HDG, Under Floor
300x40	AL-TSL-2-300X40-1.2-PG/HDG/SS-L-2.44/3-UF	1.2	Straight trunking, Double Compartment, 40 deep, 300 wide, PG/HDG, Under Floor
450x40	AL-TSL-2-450X40-1.2-PG/HDG/SS-L-2.44/3-UF	1.2	Straight trunking, Three Compartment, 40 deep, 450 wide, PG/HDG, Under Floor
100x50	AL-TSL-3-100X50-1.5-PG/HDG/SS-L-2.44/3-UF	1.5	Straight trunking, Three Compartment, 50 deep, 100 wide, PG/HDG, Under Floor
200x50	AL-TSL-3-200X50-1.5-PG/HDG/SS-L-2.44/3-UF	1.5	Straight trunking, Three Compartment, 50 deep, 200 wide, PG/HDG, Under Floor
300x50	AL-TSL-3-300X50-1.5-PG/HDG/SS-L-2.44/3-UF	1.5	Straight trunking, Three Compartment, 50 deep, 300 wide, PG/HDG, Under Floor
300x100	AL-TSL-3-300X100-1.5-PG/HDG/SS-L-2.44/3-UF	1.5	Straight trunking, Three Compartment, 100 deep, 300 wide, PG/HDG, Under Floor



**Note: All Dimensions and finishing available upon request.**

# Cable Trunking Accessories


TRUNK ACCERORIES	COMPARTMENT	DEPTH	WIDH	THIKNESS	FINISH	DEGREE	COVER TYPE	Trunk type
TTB: TRUNKING TOP BEND	1	25MM	50MM	1.5MM	GI: PRE-GALVANIZED	45	SC: SCROW TYPE	N: standard trunk
TIB : TRUNKING INSIDE BEND	2	50MM	75MM	1.6MM	HDG: hot dip galvanized	90	BF: TURN BUKEL	
TOB : TRUNKING OUTSIDE BEND	3	75MM	100MM	2MM	AL:			
TTT : TRUNKING TOP TEE	4	85MM	125MM		PC: powder coating			
TTC : TRUNKING OUTSIDE CROSS		100MM	150MM		SS: Stainless steel			
TR: TRUNKING REDUCER		150MM	200MM		EC:Epoxy coating			
		200MM	225MM					
		300MM	300MM					
		400MM	400MM					

## TTB Cable Trunking Top Bend

Width X Depth (mm)	Part No.	Thickness	Description
50X25	AL-TTB-1-50X25-1.5-PG/HDG/55-45/90-BF/ST	1.5	Cable trunking top bend, Single Compartment, 25 deep, 50 wide, PG/HDG, BF/SC
75X50	AL-TTB-1-75X50-1.5-PG/HDG/55-45/90-BF/ST	1.5	Cable trunking top bend, Single Compartment, 50 deep, 75 wide, PG/HDG, BF/SC
100X100	AL-TTB-1-100X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TTB-1-150X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TTB-1-200X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TTB-1-250X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 100 deep, 250 wide, PG/HDG, BF/SC
200X150	AL-TTB-1-200X150-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 150 deep, 200 wide, PG/HDG, BF/SC
200X200	AL-TTB-1-200X200-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 200 deep, 200 wide, PG/HDG, BF/SC
300X300	AL-TTB-1-300X300-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 300 deep, 300 wide, PG/HDG, BF/SC
400X400	AL-TTB-1-400X400-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Single Compartment, 400 deep, 400 wide, PG/HDG, BF/SC

## Double Compartment

Width X Depth (mm)	Part No.	Thickness	Description
50X25	AL-TTB-2-50X25-1.5-PG/HDG/55-45/90-BF/ST	1.5	Cable trunking top bend, Double Compartment, 25 deep, 50 wide, PG/HDG, BF/SC
75X50	AL-TTB-2-75X50-1.5-PG/HDG/55-45/90-BF/ST	1.5	Cable trunking top bend, Double Compartment, 50 deep, 75 wide, PG/HDG, BF/SC
100X100	AL-TTB-2-100X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TTB-2-150X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TTB-2-200X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TTB-2-250X100-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 100 deep, 250 wide, PG/HDG, BF/SC
200X150	AL-TTB-2-200X150-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 150 deep, 200 wide, PG/HDG, BF/SC
200X200	AL-TTB-2-200X200-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 200 deep, 200 wide, PG/HDG, BF/SC
300X300	AL-TTB-2-300X300-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 300 deep, 300 wide, PG/HDG, BF/SC
400X400	AL-TTB-2-400X400-1.6-PG/HDG/55-45/90-BF/ST	1.6	Cable trunking top bend, Double Compartment, 400 deep, 400 wide, PG/HDG, BF/SC




## Under Floor

Width X Depth (mm)	Part No.	Thickness	Description
100x40	AL-TTB-2-100X40-1.2-PG/HDG/55-45/90-UF	1.2	Cable trunking top bend, Double Compartment, 40 deep, 100 wide, PG/HDG, Under Floor
125x40	AL-TTB-2-125X40-1.2-PG/HDG/55-45/90-UF	1.2	Cable trunking top bend, Double Compartment, 40 deep, 125 wide, PG/HDG, Under Floor
150x40	AL-TTB-2-150X40-1.2-PG/HDG/55-45/90-UF	1.2	Cable trunking top bend, Double Compartment, 40 deep, 150 wide, PG/HDG, Under Floor
200x40	AL-TTB-2-200X40-1.2-PG/HDG/55-45/90-UF	1.2	Cable trunking top bend, Double Compartment, 40 deep, 200 wide, PG/HDG, Under Floor
300x40	AL-TTB-2-300X40-1.2-PG/HDG/55-45/90-UF	1.2	Cable trunking top bend, Double Compartment, 40 deep, 300 wide, PG/HDG, Under Floor
450x40	AL-TTB-2-450X40-1.2-PG/HDG/55-45/90-UF	1.2	Cable trunking top bend, Three Compartment, 40 deep, 450 wide, PG/HDG, Under Floor
100x50	AL-TTB-3-100X50-1.5-PG/HDG/55-45/90-UF	1.5	Cable trunking top bend, Three Compartment, 50 deep, 100 wide, PG/HDG, Under Floor
200x50	AL-TTB-3-200X50-1.5-PG/HDG/55-45/90-UF	1.5	Cable trunking top bend, Three Compartment, 50 deep, 200 wide, PG/HDG, Under Floor
300x50	AL-TTB-3-300X50-1.5-PG/HDG/55-45/90-UF	1.5	Cable trunking top bend, Three Compartment, 50 deep, 300 wide, PG/HDG, Under Floor
300x100	AL-TTB-3-300X100-1.5-PG/HDG/55-45/90-UF	1.5	Cable trunking top bend, Three Compartment, 100 deep, 300 wide, PG/HDG, Under Floor

**Note: All Dimensions and finishing available upon request.**

## Inside/ Outside Bend

Width X Depth (mm)	Part No.	Thickness	Description
50X25	AL-TI/OB-1-50X25-1.5-PG/HDG/SS-45/90-BF/ST	1.5	Cable trunking inside/outside bend, Single Compartment, 25 deep, 50 wide, PG/HDG, BF/SC
75X50	AL-TI/OB-1-75X50-1.5-PG/HDG/SS-45/90-BF/ST	1.5	Cable trunking inside/outside bend, Single Compartment, 50 deep, 75 wide, PG/HDG, BF/SC
100X100	AL-TI/OB-1-100X100-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TI/OB-1-150X100-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TI/OB-1-200X100-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TI/OB-1-250X100-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 100 deep, 250 wide, PG/HDG, BF/SC
200X150	AL-TI/OB-1-200X150-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 150 deep, 200 wide, PG/HDG, BF/SC
200X200	AL-TI/OB-1-200X200-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 200 deep, 200 wide, PG/HDG, BF/SC
300X300	AL-TI/OB-1-300X300-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 300 deep, 300 wide, PG/HDG, BF/SC
400X400	AL-TI/OB-1-400X400-1.6-PG/HDG/SS-45/90-BF/ST	1.62	Cable trunking inside/outside bend, Single Compartment, 400 deep, 400 wide, PG/HDG, BF/SC



## Inside/ Outside Bend Double Compartment

Width X Depth (mm)	Part No.	Thickness	Description
50X25	AL-TI/OB-2-50X25-1.5-PG/HDG/SS-45/90-BF/ST	1.5	Cable trunking inside/outside bend, Double Compartment, 25 deep, 50 wide, PG/HDG, BF/SC
75X50	AL-TI/OB-2-75X50-1.5-PG/HDG/SS-45/90-BF/ST	1.5	Cable trunking inside/outside bend, Double Compartment, 50 deep, 75 wide, PG/HDG, BF/SC
100X100	AL-TI/OB-2-100X100-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TI/OB-2-150X100-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TI/OB-2-200X100-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TI/OB-2-250X100-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 100 deep, 250 wide, PG/HDG, BF/SC
200X150	AL-TI/OB-2-200X150-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 150 deep, 200 wide, PG/HDG, BF/SC
200X200	AL-TI/OB-2-200X200-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 200 deep, 200 wide, PG/HDG, BF/SC
300X300	AL-TI/OB-2-300X300-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 300 deep, 300 wide, PG/HDG, BF/SC
400X400	AL-TI/OB-2-400X400-1.6-PG/HDG/SS-45/90-BF/ST	1.6	Cable trunking inside/outside bend, Double Compartment, 400 deep, 400 wide, PG/HDG, BF/SC



## Inside/ Outside Bend Under Floor

Width X Depth (mm)	Part No.	Thickness	Description
100x40	AL-TI/OB-2-100X40-1.2-PG/HDG/SS-45/90-UF	1.2	Cable trunking inside/outside bend, Double Compartment, 40 deep, 100 wide, PG/HDG, Under Floor
125x40	AL-TI/OB-2-125X40-1.2-PG/HDG/SS-45/90-UF	1.2	Cable trunking inside/outside bend, Double Compartment, 40 deep, 125 wide, PG/HDG, Under Floor
150x40	AL-TI/OB-2-150X40-1.2-PG/HDG/SS-45/90-UF	1.2	Cable trunking inside/outside bend, Double Compartment, 40 deep, 150 wide, PG/HDG, Under Floor
200x40	AL-TI/OB-2-200X40-1.2-PG/HDG/SS-45/90-UF	1.2	Cable trunking inside/outside bend, Double Compartment, 40 deep, 200 wide, PG/HDG, Under Floor
300x40	AL-TI/OB-2-300X40-1.2-PG/HDG/SS-45/90-UF	1.2	Cable trunking inside/outside bend, Double Compartment, 40 deep, 300 wide, PG/HDG, Under Floor
450x40	AL-TI/OB-3-450X40-1.2-PG/HDG/SS-45/90-UF	1.2	Cable trunking inside/outside bend, Three Compartment, 40 deep, 450 wide, PG/HDG, Under Floor
100x50	AL-TI/OB-3-100X50-1.5-PG/HDG/SS-45/90-UF	1.5	Cable trunking inside/outside bend, Three Compartment, 50 deep, 100 wide, PG/HDG, Under Floor
200x50	AL-TI/OB-3-200X50-1.5-PG/HDG/SS-45/90-UF	1.5	Cable trunking inside/outside bend, Three Compartment, 50 deep, 200 wide, PG/HDG, Under Floor
300x50	AL-TI/OB-3-300X50-1.5-PG/HDG/SS-45/90-UF	1.5	Cable trunking inside/outside bend, Three Compartment, 50 deep, 300 wide, PG/HDG, Under Floor
300x100	AL-TI/OB-3-300X100-1.5-PG/HDG/SS-45/90-UF	1.5	Cable trunking inside/outside bend, Three Compartment, 100 deep, 300 wide, PG/HDG, Under Floor

**Note: All Dimensions and finishing available upon request.**


## TTT Cable Trunking Top Tee

### Top Tee

Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TTT-1-100X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TTT-1-150X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TTT-1-200X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Single Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TTT-1-250X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Single Compartment, 100 deep, 250 wide, PG/HDG, BF/SC

### Top Tee Double Compartment

Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TTT-2-100X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Double Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TTT-2-150X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Double Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TTT-2-200X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Double Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TTT-2-250X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Tee, Double Compartment, 100 deep, 250 wide, PG/HDG, BF/SC




### Top Tee Under Floor

Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TTT-1-100X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Tee, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC, Under Floor
150X100	AL-TTT-1-150X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Tee, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC, Under Floor
200X40	AL-TTT-2-200X40-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Tee, Double Compartment, 40 deep, 200 wide, PG/HDG, BF/SC, Under Floor
450X40	AL-TTT-3-450X40-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Tee, Three Compartment, 40 deep, 450 wide, PG/HDG, BF/SC, Under Floor

## TTC Cable Trunking Top Cross

### Top Cross

Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TTC-1-100X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TTC-1-150X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TTC-1-200X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Single Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TTC-1-250X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Single Compartment, 100 deep, 250 wide, PG/HDG, BF/SC



### Top Cross Double Compartment

Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TTC-2-100X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Double Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TTC-2-150X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Double Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TTC-2-200X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Double Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TTC-2-250X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Top Cross, Double Compartment, 100 deep, 250 wide, PG/HDG, BF/SC

### Top Cross Under Floor

Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TTC-1-100X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Top Cross, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC, Under Floor
150X100	AL-TTC-1-150X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Top Cross, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC, Under Floor
200X100	AL-TTC-2-200X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Top Cross, Double Compartment, 100 deep, 200 wide, PG/HDG, BF/SC, Under Floor
250X100	AL-TTC-3-250X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Top Cross, Three Compartment, 100 deep, 250 wide, PG/HDG, BF/SC, Under Floor

**Note: All Dimensions and finishing available upon request.**

# TCR CableTrunking Cable Reducer

## Reducer


Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TCR-1-100X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TCR-1-150X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TCR-1-200X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Single Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TCR-1-250X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Single Compartment, 100 deep, 250 wide, PG/HDG, BF/SC

## Reducer Double Compartment


Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TCR-2-100X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Double Compartment, 100 deep, 100 wide, PG/HDG, BF/SC
150X100	AL-TCR-2-150X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Double Compartment, 100 deep, 150 wide, PG/HDG, BF/SC
200X100	AL-TCR-2-200X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Double Compartment, 100 deep, 200 wide, PG/HDG, BF/SC
250X100	AL-TCR-2-250X100-1.6-PG/HDG/SS-BF/ST	1.62	Cable Trunking Reducer, Double Compartment, 100 deep, 250 wide, PG/HDG, BF/SC

## Reducer Under Floor

Width X Depth (mm)	Part No.	Thickness	Description
100X100	AL-TCR-1-100X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Reducer, Single Compartment, 100 deep, 100 wide, PG/HDG, BF/SC, Under Floor
150X100	AL-TCR-1-150X100-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Reducer, Single Compartment, 100 deep, 150 wide, PG/HDG, BF/SC, Under Floor
200X40	AL-TCR-2-200X40-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Reducer, Double Compartment, 40 deep, 200 wide, PG/HDG, BF/SC, Under Floor
450X40	AL-TCR-3-450X40-1.6-PG/HDG/SS-BF/ST-UF	1.62	Cable Trunking Reducer, Three Compartment, 40 deep, 450 wide, PG/HDG, BF/SC, Under Floor




## Block End




## Hanger



## Standard Connector



## U-Type Connector



**Note: All Dimensions and finishing available upon request.**

## Metal Framing Systems C-Channel



- Cable Management System support
- HVAC Support
- Pipe Support
- Solar Panel Support
- UTG Channel Manufactured From Cold Rolled Steel Formed On Rolling Machine According To BS 16946:1988

### Finishing:

- Pre-galvanized According (ASTM A653M COATING G90 &G60) Hot Dip Galvanized After Fabrication (ASTM A123/BSEN 1501461:2009)

### Fixings:

- Bolts, hexagon nuts, screws and washers manufactured from steel complying with BS3692, BS970 Grade A4 of BS6105 or BS4190. Protective coating complying with BS1706 or BS3382.

### Dimensions and Tolerance:

- In accordance with BS6946: 1988 "Metal Channel Cable Support Systems for Electrical installations.


**Note: All Dimensions and finishing available upon request.**

## Strut Channels




Strut channel	TYPE	SIZE	THIKNESS	FINISH	LENGTH
SC	P: PLANE	21X21	1.5MM	GI: pre-galvanized	3M
	S: SLOTTED	21X41	2MM	HDG: hot dip galvanized	6M
	BTB: BACK TO BACK	21X41	2.5MM	PC: poweder coating	
		41X41	3MM		

Plain channel - 41x41




Plain channel - 41x21



Width X Depth (mm)	Part No.	Thickness	Description
21X21	AL-SC-P-21X21-2.5-PG/HDG/PC-3/6	2.5	Plain Strut Channel, 21 deep, 21 wide, PG/HDG/PC-3/6Mtr
41X21	AL-SC-P-41x21-2.5-PG/HDG/PC-3/6	2.5	Plain Strut Channel, 21 deep, 41 wide, PG/HDG/PC-3/6Mtr
41X41	AL-SC-P-41x41-2.5-PG/HDG/PC-3/6	2.5	Plain Strut Channel, 41 deep, 41 wide, PG/HDG/PC-3/6Mtr

Slotted channel - 41x41



Slotted channel - 41x21



Back to Back channel - 41x21




Width X Depth (mm)	Part No.	Thickness	Description
21X21	AL-SC-P-21X21-2.5-PG/HDG/CS-3/6	2.5	Slotted Strut Channel, 21 deep, 21 wide, PG/HDG/PC-3/6Mtr
41X21	AL-SC-P-41x21-2.5-PG/HDG/CS-3/6	2.5	Slotted Strut Channel, 21 deep, 41 wide, PG/HDG/PC-3/6Mtr
41X41	AL-SC-P-41x41-2.5-PG/HDG/CS-3/6	2.5	Slotted Strut Channel, 41 deep, 41 wide, PG/HDG/PC-3/6Mtr

**Note: All Dimensions and finishing available upon request.**

# Channels & Brackets


## Plain Channel 41 X 41

- Material Thickness : 1.5 - 3
- Finish : HDG, PG, Powder Coating
- length: 3/6M




## Plain Channel 41 X 21

- Material Thickness : 1.5 - 3
- Finish : HDG, PG, Powder Coating
- length: 3/6M




## Back To Back Channel 41 X 41

- Material Thickness : 1.5 - 3
- Finish : HDG, PG, Powder Coating
- length: 3/6M




## Back To Back Channel 41 X 21

- Material Thickness : 1.5 - 3
- Finish : HDG, PG, Powder Coating
- length: 3/6M



## Slot Patterns

Strut channels are produced with slots also with a standard length of 3 mtrs. Extra long up to 6 mtrs. can also be produced on request.



**Note: All Dimensions and finishing available upon request.**

## Support System



### Dimensions & Tolerance

- In accordance with BS 6946: 1988 Metal Channel cable support system for electrical installations.

### Materials:

- (HR) : Hot Rolled steel sheet in accordance to ASTM A1011.
- (AL) : Aluminum in accordance to ASTM B209.
- (SS) : Stainless Steel in accordance to ASTM A240 (Type 304 & 316)

### Finishing:

- (HDG) : Hot Dip Galvanized BS 1461.
- (EC) : Epoxy Coated
- (PC) : Powder Coating

### Fixings:

- Bolts, Hexagons nuts, Washers, Screws, Anchor Bolts and Thread Rods Manufactured from steel complying BS 3692, BS 970 Grade A4 of BS 6105 or BS 4190. Protective Coating Complying with BS 1706 or BS 3382

### Channels

- Manufactured from steel complying with BS 1449 or BS 2989 (Pre Zinc Coated)

### Brackets

- Manufactured from steel complying with BS 970, BS 1449 or BS 4360

### Identification and Selection


Support System	Item Name	TYPE	SIZE	FINISH
SS	As per request	P: PLANE	As per request	GI: pre-galvanized
		S: SLOTTED		HDG: hot dip galvanized
		BTB: BACK TO BACK		PC: powder coating
				SS: Stainless Steel
				EC: Epoxy coating

**Note: All Dimensions and finishing available upon request.**


## Support System




**SS-FBSCC**  
Flate Base Single Cantilever Channel




**SS-FBDCC**  
Flate Base Double Cantilever Channel



**SS-FHSCPB**  
Four Holes Sinalle Channel PostBase




**SS-T/FHAC**  
Tow/ Four Hole Angle Connector



**SS-PECCC**  
PVC End Cap for C Channel



**SS-SHCLPB**  
Six Holes Single Channel Longitudinal Post Base




**Note: All Dimensions and finishing available upon request.**

## CONNECTOR




**C-EHDCPB-HDG/GI/SS-T**  
Eight Holes Double Chanel Post Base



**C-CTVEC-HDG/GI/SS-T**  
Vertical Adjustable Coupler




**C-CTS-HDG/GUSS-T**  
Cable Tray Separator




**C-CTSJP-HDG/GI/SS-T**  
Cable Tray Straight Joint Plate



**C-CTIHDB-HDG/GU/SS-T**  
Internal Hold Down Bracket




**C-HDC-HDG/GI/SS-T**  
Hold Down Clamp




**Note: All Dimensions and finishing available upon request.**


**C-DCC-HDG/GI/SS-T**  
Double Connector Clamp




**C-PMSCC-HDG/GI/SS-T**  
Pipe Mounted Single Channel Cantilever




**C-RCC-SS/HDG/GI-T**  
Rigid Conduit Clamp




**C-MIBC-HDG/GI/SS-T**  
Malleable Iron Beam Clamp



**C-CH-HDG/GI/SS-T**  
Conduit Hanger



**C-FHDCPBHDG/GU/SS-T**  
Four Holes Double Channel Post Base



**Note: All Dimensions and finishing available upon request.**

# CONNECTOR

Code No.	SIZE	MATERIAL	FINISH
HHMC	As Per Requirment	Steel SS : Satainless Steel	PG: pre-galvanized HDG: hot dip galvanized

## Material:

Screws & nuts:

- (HR)Steel : in acc. To ASTM A307 / ASTM A563
- (SS) Stainless Steel :To ASTM A593 (Type 304 & 316)


## Finishing:

- (PG) Zinc Plated: in Acc. To ASTM B633
- (HDG) Hot Dip Galvanized; in Acc. To ASTM A153


## Channel Nuts:

- (HR) Steel: in Acc. to ASTM A108 / ASTM A36
- (SS) Stainless Steel :to ASTM A593 (Type 304 & 316)


H-FW FlatWasher




H-FFW Flat Fended Washer




H-LW Lock Washer




H-HN Hex. Nut




H-TR Threaded Rod



H-RC Rod Coupling




H-DIA Drop In Anchor




H-WA Wedge Anchor




H-HHMS Hex. Head Machine Screw




H-HSHS Hex. Slotted Head Screw




H-RSHS Round Slotted Head Screw




H-SHPS Square Head Pointed Screw




H-TB T - Bolt




H-BJL Bonding Jumper




H-STB Square T - Bolt



H-THB Truss Head Bolt




H-SCN Springless Channel Nut




H-SSCN Short Spring Channel Nut



H-LSCN Long Spring Channel Nut



H-SCNS Spring Channel Nut Stud



**Note: All Dimensions and finishing available upon request.**

## GI SWITCH BOX

**Materials:**

- Pre Galvanized Pressed Steel Sheets made to BS 4662:2006

**Finishing:**

- Natural, Galvanized

**Features:**

- With Brass Earth Terminals, Adjustable Lugs and Combination of Knockouts (20 mm And 25 mm Installation box 3 x 3 / (0.9 mm - 1.1 mm) and 3 x 6 / (0.9 mm - 1.1 mm))
- Electrical accessory back box intended to contain one or more electrical accessories and to be recessed into wall or ceiling or similar flat surfaced structure.
- 3 x 3 box one gang, 1 x adjustable lug, 3 x fixed lug with smooth cable entry knockouts of 20mm and 25mm.
- 3x6 box, two gang, 1xadjustable lug, 1xfixed lug with smooth cableentry knockouts of 20 mm and 25 mm.
- Wall thickness of boxes (0.9 mm - 1.1 mm)

**Note: All Dimensions and finishing available upon request.**

# Switch & Socket Boxes

## Adjustable Lug

A comprehensive range of switch and socket boxes manufactured in four depths 16mm, 25mm, 35mm and 48mm and all available in one and two gang configurations. To facilitate the easy fitting of accessories into the boxes, they are designed with at least one adjustable lug.





## Regulation Brass Earth Terminal

All our Switch and Socket Boxes include a unique Regulation Brass Earth Terminal into which several earth wires can be fitted from either the inside or outside of the box. Each box is produced with a specified number and size of knock outs which allow adequate cable entries for wiring purposes.

## Nominal Dimensions:


One Gang - 72mm x 72mm

Two Gang - 132mm x 72mm

	Switch Boxes 16mm Deep AL 42RE				Switch & Socket Boxes 25mm Deep AL 62RE		
	Gang	Type of Entry	Fixing Lugs		Gang	Type of Entry	Fixing Lugs
	One Gang	1 oval fitted with rubber grommet and 3 oval KO's for grommet entry	1 fixed and 1 adjustable		One Gang	20mm KO's	2 fixed and 2 adjustable
	Switch & Socket Boxes 25mm Deep AL 72RE				Switch & Socket Boxes 35mm Deep AL 82RE2025		
	Gang	Type of Entry	Fixing Lugs		Gang	Type of Entry	Fixing Lugs
	One Gang	16mm x 20mm KO's	1 fixed and 1 adjustable		One Gang	25 & 20mm KO's	3 fixed and 1 adjustable
	Switch & Socket Boxes 35mm Deep AL 92RE2025				Switch & Socket Boxes 47mm Deep AL 14RE		
	Gang	Type of Entry	Fixing Lugs		Gang	Type of Entry	Fixing Lugs
	Two Gang	25 & 20mm KO's	1 fixed and 1 adjustable		One Gang	20 & 12mm KO's	2 fixed and 2 adjustable
	Switch & Socket Boxes 47mm Deep AL 22RE						
	Gang	Type of Entry	Fixing Lugs				
	Two Gang	25 & 20mm KO's	1 fixed and 1 adjustable				

# Square Boxes and Covers

4" Square Boxes, Drawn Type



Cat.No.	Knockouts		
	EA.Side Conduit	EA.End Conduit	Bottom Conduit
<b>1½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
52151-½	3-½"	3-½"	5-½"
52151-¾	2-¾"	2-¾"	5-½"
52151-½&¾	2-½"	2-½"	3-½"
	1-¾"	1-¾"	2-¾"
<b>2½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
52171-½	3-½"	3-½"	5-½"
52171-¾	2-¾"	2-¾"	3-½"
			2-¾"
52171-½&¾	2-½"	2-½"	3-½"
	1-¾"	1-¾"	2-¾"
52171-1	2-1"	2-1"	3-½"
			2-¾"


4" Square Extension Rings, Drawn Type



Cat.No.	Knockouts		
	EA.Side Conduit	EA.End Conduit	
<b>1½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
53151-½	3-½"	3-½"	3-½"
53151-¾	2-¾"	2-¾"	2-¾"
53151-½&¾	2-½"	2-½"	2-½"
	1-¾"	1-¾"	1-¾"
<b>2½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
53171-½	3-½"	3-½"	3-½"
53171-¾	2-¾"	2-¾"	2-¾"
53171-½&¾	2-½"	2-½"	2-½"
	1-¾"	1-¾"	1-¾"
53171-1	2-1"	2-1"	2-1"

# Handy Boxes and Covers

4x2" Handy Boxes, Drawn Type



Cat.No.	Knockouts		
	EA.Side Conduit	EA.End Conduit	Bottom Conduit
<b>1½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
58351-½	3-½"	1-½"	3-½"
<b>1½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
58361-½	3-½"	1-½"	3-½"
58361-¾	2-¾"	1-¾"	2-¾"
58361-½&¾	2-½"	1-¾"	2-½"
	1-¾"	1-¾"	1-¾"
<b>2½" Deep-with Conduit KO's</b> Thickness: 1.2mm 1.5mm			
58371-½	3-½"	1-½"	3-½"
58371-¾	2-¾"	1-¾"	2-¾"
58371-½&¾	2-½"	1-¾"	2-½"
	1-¾"	1-¾"	1-¾"
58371-1	2-1"	1-1"	1-1"

4x2" Handy Box Extension Rings, Drawn Type



Cat.No.	Knockouts		
	EA.Side Conduit	EA.End Conduit	
<b>1½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
59351-½	3-½"	3-½"	1-½"
<b>1½" Deep-with Conduit KO's</b> Thickness: 0.8mm 1.0mm 1.2mm 1.5mm			
59361-½	3-½"	1-½"	1-½"
59361-¾	2-¾"	1-¾"	1-¾"
59361-½&¾	2-½"	1-¾"	1-¾"
<b>2½" Deep-with Conduit KO's</b> Thickness: 1.2mm 1.5mm			
59371-½	3-½"	1-½"	1-½"
59371-¾	2-¾"	1-¾"	1-¾"
59371-½&¾	2-½"	1-¾"	1-¾"
59371-1	2-1"	1-1"	1-1"

## Basket Tray

UTG Cable Basket Tray design allows continuous airflow, and prevents the buildup of dust, contaminants and bacterial proliferation. Strong, flexible and adaptable, UTG Basket Tray come in full range of sizes and is made with high-strength welded steel wires.

Support accessories for any application or situation are available.




**UTG Basket Tray Systems and accessories from UTG are manufactured in compliance with:**

IEC 61537	<b>International Electrotechnical Commission</b> (Cable management - Cable tray systems and cable ladder systems)
NEMA VE 1-2009	<b>National Electrical Manufacturers Association.</b> (Metal Cable Tray Systems)
NEMA VE 2-2006	<b>National Electrical Manufacturers Association.</b> (Metal Cable Tray Installation Guidelines)
NEC (ANSI / NFPA 70)	<b>National Electric Code</b> (Metal Cable Tray Guide Lines)


## Basket Trays 55 Height

Width x Height	Part Code No.	Thickness $\phi$	Item Description
50X55	AL-CBT-55-50-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 50(W) x 55(H) x 4(T) mm, 3m Length
100X55	AL-CBT-55-100-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 100(W) x 55(H) x 4(T) mm, 3m Length
150X55	AL-CBT-55-150-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 150(W) x 55(H) x 4(T) mm, 3m Length
200X55	AL-CBT-55-200-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 200(W) x 55(H) x 4(T) mm, 3m Length
300X55	AL-CBT-55-300-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 300(W) x 55(H) x 4(T) mm, 3m Length




## Basket Trays 100 Height

Width x Height	Part Code No.	Thickness $\phi$	Item Description
100X100	AL-CBT-100-100-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 100(W) x 100(H) x 4(T) mm, 3m Length
150X100	AL-CBT-100-150-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 150(W) x 100(H) x 4(T) mm, 3m Length
200X100	AL-CBT-100-200-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 200(W) x 100(H) x 4(T) mm, 3m Length
300X100	AL-CBT-100-300-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 300(W) x 100(H) x 4(T) mm, 3m Length
400X100	AL-CBT-100-400-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 400(W) x 100(H) x 4(T) mm, 3m Length
450X100	AL-CBT-100-450-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 450(W) x 100(H) x 4(T) mm, 3m Length
600X100	AL-CBT-100-600-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 600(W) x 100(H) x 4(T) mm, 3m Length



## Basket Trays 150 Height

Width x Height	Part Code No.	Thickness $\phi$	Item Description
150X150	AL-CBT-150-150-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 150(W) x 150(H) x 4(T) mm, 3m Length
200X150	AL-CBT-150-200-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 200(W) x 150(H) x 4(T) mm, 3m Length
300X150	AL-CBT-150-300-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 300(W) x 150(H) x 4(T) mm, 3m Length
400X150	AL-CBT-150-400-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 400(W) x 150(H) x 4(T) mm, 3m Length
500X150	AL-CBT-150-500-4-HDG/PG/SS-3M	4	Straight Length Cable Basket Tray 500(W) x 150(H) x 4(T) mm, 3m Length



### Height

5 mm, 100 mm, 105 m and 150 mm.

### Materials

Stainless steel, hot-dip galvanized to DNI NESIO1461

### Wire $\phi$

4mm, 5mm and 6m


**Note: All Dimensions and finishing available upon request.**

## Basket Trays Accessories

BASKET ACCESSORIES	DEPTH	WIDTH	THICKNESS (Ø)	FINISH	DEGREE
BTB : BASKET BEND	55MM	50MM	4MM	HDG : Hot Dip Galvanized	45°
BTIB : BASKET INSIDE BEND	100MM	100MM	5MM	SS : Stainless Steel	90°
BTOB : BASKET OUTSIDE BEND	150MM	150MM	6MM		
BTT : BASKET TEE		200MM			
BTC : BASKET CROSS		300MM			
BTSR : BASKET STRAIGHT REDUCER		400MM			
BTLR : BASKET LEFT REDUCER		500MM			
BTRR : BASKET RIGHT REDUCER		600MM			


## Basket Trays Bend

Width x Height	Part Code No.	Thickness Ø	Item Description
100X100	AL-BTB-100-100-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Bend 100(W) x 100(H) x 4(T) mm
150X100	AL-BTB-100-150-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Bend 150(W) x 100(H) x 4(T) mm
200X100	AL-BTB-100-200-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Bend 200(W) x 100(H) x 4(T) mm
300X100	AL-BTB-100-300-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Bend 300(W) x 100(H) x 4(T) mm
450X100	AL-BTB-100-450-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Bend 450(W) x 100(H) x 4(T) mm
600X100	AL-BTB-100-600-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Bend 600(W) x 100(H) x 4(T) mm



## Basket Tray Inside/Outside Bend


Width x Height	Part Code No.	Thickness Ø	Item Description
100X100	AL-BTI/OB-100-100-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Inside/Outside Bend 100(W) x 100(H) x 4(T) mm
150X100	AL-BTI/OB-100-150-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Inside/Outside Bend 150(W) x 100(H) x 4(T) mm
200X100	AL-BTI/OB-100-200-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Inside/Outside Bend 200(W) x 100(H) x 4(T) mm
300X100	AL-BTI/OB-100-300-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Inside/Outside Bend 300(W) x 100(H) x 4(T) mm
450X100	AL-BTI/OB-100-450-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Inside/Outside Bend 450(W) x 100(H) x 4(T) mm
600X100	AL-BTI/OB-100-600-4-HDG/PG/SS-90°/45°	4	Cable Basket Tray Inside/Outside Bend 600(W) x 100(H) x 4(T) mm



**Note: All Dimensions and finishing available upon request.**


## Basket Tray Equal TEE

Width x Height	Part Code No.	Thickness Ø	Item Description
100X100	AL-BTET-100-100-4-HDG/PG/SS	4	Cable Basket Tray Equal Tee 100(W) x 100(H) x 4(T) mm
150X100	AL-BTET-100-150-4-HDG/PG/SS	4	Cable Basket Tray Equal Tee 150(W) x 100(H) x 4(T) mm
200X100	AL-BTET-100-200-4-HDG/PG/SS	4	Cable Basket Tray Equal Tee 200(W) x 100(H) x 4(T) mm
300X100	AL-BTET-100-300-4-HDG/PG/SS	4	Cable Basket Tray Equal Tee 300(W) x 100(H) x 4(T) mm
450X100	AL-BTET-100-450-4-HDG/PG/SS	4	Cable Basket Tray Equal Tee 450(W) x 100(H) x 4(T) mm
600X100	AL-BTET-100-600-4-HDG/PG/SS	4	Cable Basket Tray Equal Tee 600(W) x 100(H) x 4(T) mm




## Basket Trays 55 Height

Width x Height	Part Code No.	Thickness	Item Description
50X55	AL-BTEC-55-50-4-HDG/PG/SS	4	Cable Basket Tray Equal Cross 50(W) x 55(H) x 4(T) mm
100X55	AL-BTEC-55-100-4-HDG/PG/SS	4	Cable Basket Tray Equal Cross 100(W) x 55(H) x 4(T) mm
100X105	AL-BTEC-105-100-4-HDG/PG/SS	4	Cable Basket Tray Equal Cross 100(W) x 105(H) x 4(T) mm
200X105	AL-BTEC-105-200-4-HDG/PG/SS	4	Cable Basket Tray Equal Cross 200(W) x 105(H) x 4(T) mm
150X150	AL-BTEC-150-150-4-HDG/PG/SS	4	Cable Basket Tray Equal Cross 150(W) x 150(H) x 4(T) mm
200X150	AL-BTEC-150-200-4-HDG/PG/SS	4	Cable Basket Tray Equal Cross 200(W) x 150(H) x 4(T) mm




## Basket Trays 55 Height

Width x Width2 x Height	Part Code No.	Thickness	Item Description
150X100X100	AL-BTSR-100-150-100-4-HDG/PG/SS	4	Cable Basket Tray Straight Reducer 150(W) x 100(W2) x 100(H) x 4(T) mm
200X100X100	AL-BTSR-100-200-100-4-HDG/PG/SS	4	Cable Basket Tray Straight Reducer 200(W) x 100(W2) x 100(H) x 4(T) mm
300X200X100	AL-BTSR-100-300-200-4-HDG/PG/SS	4	Cable Basket Tray Straight Reducer 300(W) x 200(W2) x 100(H) x 4(T) mm
600X300X100	AL-BTSR-100-600-300-4-HDG/PG/SS	4	Cable Basket Tray Straight Reducer 600(W) x 300(W2) x 100(H) x 4(T) mm
600X100X100	AL-BTSR-100-600-100-4-HDG/PG/SS	4	Cable Basket Tray Straight Reducer 600(W) x 100(W2) x 100(H) x 4(T) mm



## Basket Trays 55 Height

Width x Width2 x Height	Part Code No.	Thickness	Item Description
150X100X100	AL-BTSR-100-150-100-4-HDG/PG/SS	4	Cable Basket Tray Left/Right Reducer 150(W) x 100(W2) x 100(H) x 4(T) mm
200X100X100	AL-BTSR-100-200-100-4-HDG/PG/SS	4	Cable Basket Tray Left/Right Reducer 200(W) x 100(W2) x 100(H) x 4(T) mm
300X200X100	AL-BTSR-100-300-200-4-HDG/PG/SS	4	Cable Basket Tray Left/Right Reducer 300(W) x 200(W2) x 100(H) x 4(T) mm
600X300X100	AL-BTSR-100-600-300-4-HDG/PG/SS	4	Cable Basket Tray Left/Right Reducer 600(W) x 300(W2) x 100(H) x 4(T) mm
600X100X100	AL-BTSR-100-600-100-4-HDG/PG/SS	4	Cable Basket Tray Left/Right Reducer 600(W) x 100(W2) x 100(H) x 4(T) mm



**Note: All Dimensions and finishing available upon request.**



CONTACT US

Mobile: **+966 59 009 7984**

Email: **info@utg-saudi.com**

Address: **Riyadh, Saudi Arabia.**

HEADQUARTERS: USA  
[info@utg-saudi.com](mailto:info@utg-saudi.com)



[www.utg-saudi.com](http://www.utg-saudi.com)



United  
Technology  
Group

[www.utg-saudi.com](http://www.utg-saudi.com)